Power Steering Fluid 1888



Power Steering Fluid

Product description

Specially formulated, highly shear stable, friction modified anti-wear power steering fluid (PSF), approved by Toyota for Koyo power steering systems and conforming to former DEXRON -IIIG specification.

Customer benefits

Maximizes power steering system life

Specially designed viscosity characteristics, anti-wear properties, anti-foam properties and seal and elastomer compatibility protect all components in automotive power steering systems under all service conditions.

Smooth operation

Combination of carefully formulated fluid viscosity, balanced additive package and special friction modifier reduces power steering pump noise and ensures smooth operation.

• Increased oil life

Oxidation inhibitors, combined with highly refined base stocks, provide a level of oxidation resistance and thermal stability which prevents acid build up, oil thickening, and the formation of gum, varnish and sludge.

Power Steering Fluid 1888



Power Steering Fluid

Applications

- Car and light truck power steering systems
- Toyota power steering systems
- Power steering units (where the manufacturer recommends a DEXRON® or MERCON® fluid)

Product approvals, performance and recommendations

Approvals:

Toyota/Koyo

Conforms to:

 General Motors GM6417M (obsolete DEXRON®-IIIG)

Power Steering Fluid 1888



Power Steering Fluid

Typical test data

POWER STEERING FLUID 1888	RESULTS
Product Code	510095
Color	Red
Pour Point, °C	-51
Viscosity, Brookfield mPa.s @ -40°C	1800
Viscosity, Kinematic mm²/s @ 40°C mm²/s @ 100°C	96.5 14.5
Viscosity Index	189

ENVIRONMENT, HEALTH, and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions, and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the Product Information Center.

This Product Data Sheet (PDS) was produced for the Africa, Middle East and Pakistan region in good faith from the best information available at the time of issue. The specific information included may not directly reflect the local market or conditions. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. For the most up-to-date, country-specific information, please contact your local customer service center.

This document includes registered and unregistered trademarks, service marks, logos and trade names owned by Chevron Intellectual Property LLC and/or its affiliates, or owned by third parties whose products, services or standards are referred to. You must not use any trademark that appears in this document without permission from the relevant owner.