

Havoline® ProDS P SAE 0W-30

Premium performance synthetic engine oil

Product description

Havoline ProDS P SAE 0W-30 is a premium performance synthetic engine lubricant specifically formulated with advanced technology additives to meet the demanding PSA B71-2312 engine lubrication requirements.

Havoline ProDS P SAE 0W-30 is suitable for use in gasoline and diesel passenger cars, and light duty commercial diesel engines. It is a mid SAPS oil compatible with diesel/gasoline particulate filters (DPF/GPF) and three-way catalysts (TWC).

Customer benefits

- Offers extended drain engine and emission system protection performance, helping optimise on-road time with reduced maintenance
- Mid SAPS formulation designed to protect catalysts and diesel particulate filters in emission control systems
- Good low temperature fluidity aids rapid oil circulation at cold starts, offering increased engine protection and improved fuel consumption
- Advanced cleaning additives help minimise deposit and sludge build-up, offering extended engine life while maintaining fuel economy
- Synthetic base oil technology offers thermal stability, reduced engine oil volatility, oxidation and oil consumption
- PSA tests prove Havoline ProDS P SAE 0W-30 does not contribute to engine super knock and potential severe engine damage caused by low-speed pre-ignition (LSPI)

Product highlights

- Designed for extended drain engine and emission system protection
- Mid SAPS formulation
- · Aids rapid oil circulation at cold starts
- · Helps minimise deposits and sludge
- Offers thermal stability, with low volatility and oxidation
- · PSA tests prove no contribution to LSPI

Selected specification standards include:

ACEA	Fiat
Iveco	PSA

Applications

- Havoline ProDS P SAE 0W-30 is suitable for use in gasoline and diesel passenger cars or light diesel vans from Euro 5 onwards - with or without a turbocharger; with or without particulate filters (GPF/DPF) and fuelled with European type of fuels.
- Havoline ProDS P SAE 0W-30 is mandatory for Euro 6 vehicles requiring PSA B71-2312 engine oil. It applies to all Peugeot and Citroen vehicles equipped with 'BlueHDi' diesel engines fitted with Selective Catalyst Reduction (SCR), allowing Nitrous oxides (NOx) treatment through the use of AdBlue® additive or so-called 'diesel exhaust fluid'.

Havoline ProDS P SAE 0W-30 is not suitable for some engines. Consult owner manual or handbook if in doubt.

Approvals, performance and suitable for use

Performance

- ACEA C2
- PSA B71-2312

Suitable for use

Havoline ProDS P SAE 0W-30 is suitable for use in engines requiring:

- Fiat 9.55535.GS1
- Iveco 18.1811 Class SC1 LV

Typical test data		
Test	Test methods	Results
Viscosity Grade		SAE 0W-30
Shelf Life: 60 months from date of filling indicated on the product label		
Density at 15°C, kg/l	ASTM D4052	0.844
Kinematic viscosity at 40°C, mm²/s	ASTM D445	50.6
Kinematic viscosity at 100°C, mm²/s	ASTM D445	9.5
Viscosity Index	ASTM D2270	175
Pour Point, °C	ASTM D97	-51
Flash Point COC, °C	ASTM D92	236

The typical test data set out above does not constitute a specification. It is indicative only and can be affected by allowable production tolerances. Chevron may modify this test data. Modified data will supersede all previous data, so please ensure you refer to the latest version of this Product Data Sheet (PDS).

Disclaimer: Data provided in this Product Data Sheet (PDS) is based on standard tests under laboratory conditions and is indicative only. This product should not be used for any purpose other than those expressly set out in this PDS. The user has sole responsibility for verifying that this product is suitable for the user's intended application. Neither Chevron nor its subsidiaries (i) make any warranty or representation as to the accuracy or completeness of this PDS; and/or (ii) accept liability for any loss or damage suffered as a result of the use of this PDS.

When disposing of used product, take care to protect the environment and follow local legislation.

Safety Data Sheets (SDS's) are available for all Chevron products. If you require a SDS or any further information regarding a Chevron product, please contact your local sales office or see www.texacolubricants.com.

A Chevron company product