Havoline[®] SuperMatic 4T Fully Synthetic



High Performance Premium Four-Stroke Motorcycle Oil

Product description

Havoline[®] SuperMatic 4T Fully Synthetic is a premium fully synthetic oil formulated with Havoline C.O.R.E. Technology that caters to today's modern four-stroke scooters.

Customer benefits and product features

Customer benefits

- Performs and protects during every ride
 High quality, fully synthetic Group III base oils are selected to ensure oil retains its intended properties between each service interval.
- Tailored for high performance scooters Recognising the higher engine temperatures seen in larger capacity scooters, Havoline has developed its fully synthetic scooter engine oil with high thermal stability to ensure the engine is protected against damage caused by heat.
- **Consistent clutch performance** Enhanced frictional properties delivers increased clutch grip for scooters with wet clutch gearboxes, making for a smoother and more enjoyable ride through stressful city riding conditions.
- Excellent cleaning properties Outstanding oxidation protection helps to control oil degradation and the formation of deposits.

Product features

- Havoline C.O.R.E. Technology delivers four key benefits:
 - Cleans and protects
 - Oxidation stability
 - Reduces engine heat damage
 - Enhances acceleration

Havoline motorcycle oils ensure your motorcycle always performs at its best.



Visit Product Information Center >

Havoline[®] SuperMatic 4T Fully Synthetic



High Performance Premium Four-Stroke Motorcycle Oil

Applications

- Modern air- and liquid-cooled four-stroke scooter engines
- Suitable for high performance four-stroke scooter engines that require a JASO MA oil
- Scooters with exhaust catalytic converters
- Scooters with combined engine and transmission units, or separate gearboxes where a multi-grade JASO MA or JASO MA2 engine oil is specified
- Not recommended for use in scooters where a multi-grade JASO MA or MA2 engine oil is specified

Product approvals, performance and recommendations

Performance

• T903: 2016 JASO MB

JASO Identification Number:

SAE 5W-40 M065CVX162

• Meets the specification of API SN



Havoline[®] SuperMatic 4T Fully Synthetic



High Performance Premium Four-Stroke Motorcycle Oil

Typical test data

HAVOLINE [®] SUPERMATIC 4T FULLY SYNTHETIC	RESULTS
SAE Grade	5W-40
Product Code	500728
Base No., D2896, mg KOH/g	7.6
Pour Point, °C	-39
Sulfated Ash, m %	0.9
Viscosity, mm²/s @ 100°C	14.2
Phosphorus, m %	0.08

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and chara cteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Asia Pacific.

ENVIRONMENT, HEALTH and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the <u>Product Information Center</u>.

This Product Data Sheet (PDS) was produced for the Asia Pacific region based on the best available information at the time of issue. The specific information included may not directly reflect the market or conditions, and may vary. For the most up-to-date, country-specific information, please contact your local customer service center

