Transformer Oil Uninhibited



Premium performance uninhibited electrical insulating oil

Product description

Transformer Oil Uninhibited is a premium performance uninhibited electrical insulating oil, suitable for use where insulating oils that meet IEC 60296:2020 Type B transformer oil specifications are required.

Customer benefits and product features

Customer benefits

- · Efficient heat transfer in cooling transformer component by removal of heat from heat generating components
- · Helps maximize life for oil switches with rapid arc quenching properties to reduce contact erosion
- · Low solvency of oil components helps to protect electrical wire elements
- Helps maintain transformer efficiency with high dielectric strength and low dissipation factor to provide good insulating characteristics
- Longer service performance with highly refined base fluids properties to help resist sludge, deposits, and soluble compounds which lead to breakdown of oil's electrical properties

Product features

- · Good low temperature fluidity
- Good transformer component cooling
- · Helps reduce contact erosion
- PCB-free

Applications

- Transformers
- Oil-immersed switchgear
- · Circuit breakers
- Oil-filled capacitors
- Tap changers
- · Electrical reclosures
- Fuses

Product approvals, performance and recommendations

Performance standards

Transformer Oil Uninhibited is developed independently by Chevron to meet the following specification:

IEC 60296:2020 Type B requirement

Transformer Oil Uninhibited



Premium performance uninhibited electrical insulating oil

Typical test data

TRANSFORMER OIL UNINHIBITED KEY PROPERTIES	RESULTS
Product Code	520601
Breakdown Voltage (Before Treatment), kV	60
Dissipation Factor @ 90°C	<0.001
Neutralization Value, mgKOH/g	<0.01
Kinematic viscosity,	
mm ² /s @ 40°C	10.1
mm ² /s @ -30°C	1595
Flash point, PM, °C	>140
Corrosive Sulphur	Non corrosive
Pour Point, °C	-48

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Asia Pacific.

ENVIRONMENT, HEALTH and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the <u>Product Information Center</u>.

This Product Data Sheet (PDS) was produced for the Asia Pacific region based on the best available information at the time of issue. The specific information included may not directly reflect the market or conditions, and may vary. For the most up-to-date, country-specific information, please contact your local customer service center.