

Havoline® Fully Synthetic SAE 5W-30

Synthetic Passenger Car Motor Oil



Product description

High performance fully synthetic motor oil formulated from selected synthetic base fluids and proprietary additive technology with deposit control for use in passenger car and light truck gasoline engines under all operating conditions. It provides complete engine protection for vehicles with high performance engines, including those with direct injection and turbochargers.

Customer benefits and product features

Customer benefits

- **Effective Sludge Control**
Synthetic base fluids and proprietary additive technology with deposit control provide effective protection against sludge, varnish and deposit build up to keep modern engines running cleaner and stronger.
- **Excellent Engine Protection**
Excellent protection against wear and corrosion to help preserve engines and turbocharger durability.
- **Outstanding Mitigation against Low Speed Pre-Ignition (LSPI)**
Outstanding mitigation against Low Speed Pre-Ignition (LSPI) in turbocharged gasoline direct injection (GDI) engines to protect critical engine parts.
- **Delivers fuel economy performance**
Specially tailored viscosity characteristics and effective friction modifier minimizes internal engine frictional losses for maximum fuel economy.
- **Minimum maintenance costs**
Outstanding thermal stability and oxidation resistance provide maximum protection against in-service oil degradation which contributes to minimizing maintenance costs.

Havoline® Fully Synthetic SAE 5W-30

Synthetic Passenger Car Motor Oil



Applications

- Direct-injection and turbocharged high-power density gasoline engines.
- Naturally aspirated gasoline engines.
- Low emission passenger car and light duty vehicle with engines fitted with latest catalytic converter or gasoline particulate filter technology.
- Passenger car, SUV, MPV etc. where API SP, ILSAC GF-6A or earlier performance levels products are recommended.

Product approvals, performance and recommendations

Performance and Specifications

- API **SP/RC/SN PLUS (licensed)**
- ILSAC GF-6A (licensed)
- FCA Chrysler MS-6395
- Fiat 9.55535-CR1
- Ford WSS-M2C961-A1
- General Motors 6094M

Havoline® Fully Synthetic SAE 5W-30

Synthetic Passenger Car Motor Oil



Typical test data

HAVOLINE® FULLY SYNTHETIC SAE 5W-30	RESULTS
SAE Grade	5W-30
Product Code	500252
Base No., D2896, mg KOH/g	8.2
Sulfated Ash, m %	0.9
Phosphorus, m %	0.077
Zinc, m %	0.089
Kinematic Viscosity, mm ² /s @ 40°C mm ² /s @ 100°C	59.2 10.4
Viscosity Index	166

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Asia Pacific.

ENVIRONMENT, HEALTH, and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions, and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the Product Information Center.

This Product Data Sheet (PDS) was produced for the Africa, Middle East and Pakistan region in good faith from the best information available at the time of issue. The specific information included may not directly reflect the local market or conditions. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. For the most up-to-date, country-specific information, please contact your local customer service center.

This document includes registered and unregistered trademarks, service marks, logos and trade names owned by Chevron Intellectual Property LLC and/or its affiliates, or owned by third parties whose products, services or standards are referred to. You must not use any trademark that appears in this document without permission from the relevant owner.

[Visit Product Information Center >](#)

Havoline® Fully Synthetic SAE 5W-30/MEA/CHV/PDSv1_03/2024



Chevron company product

© 2024 Chevron Lubricants; Africa, Middle East and Pakistan. All Rights Reserved.