

# Safety Data Sheet



## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

#### Aries XLX 32

Product Number(s): 029306

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses: Industrial Oil

### 1.3 Details of the supplier of the safety data sheet

Chevron Products UK Limited

1 Westferry Circus

Canary Wharf

London E14 4HA

United Kingdom

email : eumsds@chevron.com

### 1.4 Emergency telephone number

#### Transportation Emergency Response

Europe: 0044/(0)18 65 407333 and CHEMTREC: +1 703 527 3887

#### Health Emergency

Chevron Emergency Information Center: Located in the USA, international calls accepted 24 hours: +1 510 231 0623

Europe: 0044/(0)18 65 407333

#### Product Information

Product Information: FAX number: 0044/20 77 19 5171

## SECTION 2 HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

**CLP CLASSIFICATION:** Eye irritation: Category 2, H319. Skin irritation: Category 2, H315. Chronic aquatic toxicant: Category 2, H411.

### 2.2 Label elements

Under the criteria of Regulation (EC) No 1272/2008 (CLP):



**Signal Word:** Warning

## HAZARD STATEMENTS:

**Health Hazards:** Causes skin irritation (H315). Causes serious eye irritation (H319).

**Environmental Hazards:** Toxic to aquatic life with long lasting effects (H411).

## PRECAUTIONARY STATEMENTS:

**Prevention:** Avoid release to the environment (P273). Wear protective gloves/protective clothing/eye protection/face protection (P280).

**Response:** IF ON SKIN: Wash with plenty of soap and water (P302+P352). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338). If eye irritation persists: Get medical advice/attention (P337+P313).

**Disposal:** Dispose of contents/container in accordance with applicable local/regional/national/international regulations (P501).

### 2.3 Other hazards

Heating may release highly toxic and flammable hydrogen sulfide (H<sub>2</sub>S). Do not attempt rescue without supplied-air respiratory protection. This product is not, or does not contain, a substance that is a potential PBT or a vPvB.

## SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

### 3.2 Mixtures

This material is a mixture.

| COMPONENTS                             | CAS NUMBER | EC NUMBER | REGISTRATION NUMBER | CLP CLASSIFICATION   | AMOUNT           |
|--|------------|-----------|---------------------|--|------------------|
| Highly refined mineral oil (C15 - C50) | Mixture    | *         | ***                 | Asp. Tox. 1/H304   | 40 - 50 %weight  |
| Highly refined mineral oil (C15 - C50) | Mixture    | *         | ***                 | None   | 30 - 40 %weight  |
| 2-methylpentane-2,4-diol               | 107-41-5   | 203-489-0 | 01-2119539582-35    | Eye Irrit. 2/H319;<br>Skin Irrit. 2/H315   | 5 - < 10 %weight |
| Oleyl amine ethoxylate                 | 26635-93-8 | Polymer   | **                  | Aquatic Acute 1/H400; Aquatic Chronic 1/H410; Eye Irrit. 2/H319; Acute Tox. 4/H302; Skin Irrit. 2/H315 | 1 - 5 %weight    |

The full text of all CLP H-statements is shown in Section 16.

\*Contains one or more of the following EINECS numbers: 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

\*\*Not available or substance is not currently required for registration under REACH.

\*\*\* Contains one or more of the following REACH registration numbers: 01-2119488706-23, 01-2119487067-30, 01-2119487081-40, 01-2119483621-38, 01-2119480374-36, 01-2119488707-21, 01-2119467170-45, 01-2119480375-34, 01-2119484627-25, 01-2119480132-48, 01-2119487077-29, 01-2119489287-22, 01-2119480472-38, 01-2119471299-27, 01-2119485040-48, 01-2119555262-43, 01-2119495601-36, 01-2119474889-13, 01-2119474878-16.

## SECTION 4 FIRST AID MEASURES

### 4.1 Description of first aid measures

**Eye:** Flush eyes with water immediately while holding the eyelids open. Remove contact lenses, if worn, after initial flushing, and continue flushing for at least 15 minutes. Get medical attention if irritation persists.

**Skin:** Wash skin with water immediately and remove contaminated clothing and shoes. Get medical attention if any symptoms develop. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

**Ingestion:** If swallowed, get medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**Inhalation:** No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs. If exposure to hydrogen sulfide (H<sub>2</sub>S) gas is possible during an emergency, wear an approved, positive pressure air-supplying respirator. Move the exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

#### IMMEDIATE SYMPTOMS AND HEALTH EFFECTS

**Eye:** Contact with the eyes causes severe irritation. Symptoms may include pain, tearing, reddening, swelling and impaired vision.

**Skin:** Contact with the skin causes irritation. Symptoms may include pain, itching, discoloration, swelling, and blistering.

**Ingestion:** May be irritating to mouth, throat, and stomach. Symptoms may include pain, nausea, vomiting, and diarrhea.

**Inhalation:** Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing. Hydrogen sulfide has a strong rotten-egg odor. However, with continued exposure and at high levels, H<sub>2</sub>S may deaden a person's sense of smell. If the rotten egg odor is no longer noticeable, it may not necessarily mean that exposure has stopped. At low levels, hydrogen sulfide causes irritation of the eyes, nose, and throat. Moderate levels can cause headache, dizziness, nausea, and vomiting, as well as coughing and difficulty breathing. Higher levels can cause shock, convulsions, coma, and death. After a serious exposure, symptoms usually begin immediately.

**DELAYED OR OTHER SYMPTOMS AND HEALTH EFFECTS:** Not classified.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Note to Physicians:** Administration of 100% oxygen and supportive care is the preferred treatment for poisoning by hydrogen sulfide gas. For additional information on H<sub>2</sub>S, see Chevron MSDS No. 301.

## SECTION 5 FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish flames.

### 5.2 Special hazards arising from the substance or mixture

**Combustion Products:** Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. Combustion may form oxides of: Nitrogen, Sulfur .

### 5.3 Advice for firefighters

This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed or confined fire space without proper protective

equipment, including self-contained breathing apparatus.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition in vicinity of spilled material. Refer to Sections 5 and 8 for more information.

### 6.2 Environmental precautions

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater.

### 6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil and dispose of in a manner consistent with applicable requirements. Place other contaminated materials in disposable containers and dispose of in a manner consistent with applicable requirements. Report spills to local authorities as appropriate or required.

### 6.4 Reference to other sections

See sections 8 and 13.

## SECTION 7 HANDLING AND STORAGE

### 7.1 Precautions for safe handling

**General Handling Information:** Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

**Precautionary Measures:** Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Do not breathe gas. Wash thoroughly after handling.

**Unusual Handling Hazards:** Toxic quantities of hydrogen sulfide (H<sub>2</sub>S) may be present in storage tanks and bulk transport vessels which contain or have contained this material. Persons opening or entering these compartments should first determine if H<sub>2</sub>S is present. See Exposure Controls/Personal Protection -Section 8. Do not attempt rescue of a person over exposed to H<sub>2</sub>S without wearing approved supplied-air or self-contained breathing equipment. If there is a potential for exceeding one-half the occupational exposure standard, monitoring of hydrogen sulfide levels is required. Since the sense of smell cannot be relied upon to detect the presence of H<sub>2</sub>S, the concentration should be measured by the use of fixed or portable devices.

**Static Hazard:** Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.

**Container Warnings:** Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

### 7.2 Conditions for safe storage, including any incompatibilities

Not Applicable

### 7.3 Specific end use(s):Industrial Oil

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### GENERAL CONSIDERATIONS:

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Refer to appropriate CEN standards.

### 8.1 Control parameters

#### Occupational Exposure Limits:

| Component                                 | Country/<br>Agency | Form | TWA                   | STEL                  | Ceiling | Notation |
|---|--------------------|------|-----------------------|-----------------------|---------|----------|
| Highly refined mineral oil<br>(C15 - C50) | United<br>Kingdom  | --   | 5 mg/m <sup>3</sup>   | 10 mg/m <sup>3</sup>  | --      | --       |
| 2-methylpentane-2,4-diol                  | United<br>Kingdom  | --   | 123 mg/m <sup>3</sup> | 123 mg/m <sup>3</sup> | --      | --       |

Consult local authorities for appropriate values.

### 8.2 Exposure controls

#### ENGINEERING CONTROLS:

Use in a well-ventilated area.

#### PERSONAL PROTECTIVE EQUIPMENT

**Eye/Face Protection:** Wear protective equipment to prevent eye contact. Selection of protective equipment may include safety glasses, chemical goggles, face shields, or a combination depending on the work operations conducted.

**Skin Protection:** Wear protective clothing to prevent skin contact. Selection of protective clothing may include gloves, apron, boots, and complete facial protection depending on operations conducted. Suggested materials for protective gloves include: Nitrile Rubber, Silver Shield.

**Respiratory Protection:** No respiratory protection is normally required. If material is heated and emits hydrogen sulfide, determine if airborne concentrations are below the occupational exposure limit for hydrogen sulfide. If not, wear an approved positive pressure air-supplying respirator. For more information on hydrogen sulfide, see Chevron MSDS No. 301. If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge.

#### ENVIRONMENTAL EXPOSURE CONTROLS:

See relevant Community environmental protection legislation or the Annex, as applicable.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

**Attention:** the data below are typical values and do not constitute a specification.

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Color:** Brown to yellow

**Physical State:** Liquid

**Odor:** Petroleum odor

**Odor Threshold:** No data available

**pH:** Not Applicable

**Melting Point:** No data available

**Freezing Point:** Not Applicable

**Initial Boiling Point:** No data available  
**Flashpoint:** (Cleveland Open Cup) 160 °C (320 °F) (Minimum)  
**Flammability (solid, gas):** Not Applicable  
**Flammability (Explosive) Limits (% by volume in air):**  
Lower: Not Applicable Upper: Not Applicable  
**Vapor Pressure:** No data available  
**Vapor Density (Air = 1):** No data available  
**Density:** 0.9250 kg/l @ 15°C (59°F) (Typical)  
**Solubility:** Soluble in hydrocarbons; insoluble in water  
**Partition coefficient: n-octanol/water:** No data available  
**Auto-ignition temperature:** No data available  
**Decomposition temperature:** No data available  
**Viscosity:** 29 mm<sup>2</sup>/s @ 40°C (104°F) (Minimum)  
**Explosive Properties:** No Data Available  
**Oxidising properties:** No Data Available

**9.2 Other Information:** No Data Available

## SECTION 10 STABILITY AND REACTIVITY

**10.1 Reactivity:** May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

**10.2 Chemical Stability:** This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3 Possibility of hazardous reactions:** Hazardous polymerization will not occur.

**10.4 Conditions to Avoid:** Not applicable

**10.5 Incompatible materials to avoid:** Not applicable

**10.6 Hazardous decomposition products:** Hydrogen Sulfide (Elevated temperatures)

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Product Information:

**Serious Eye Damage/Irritation:** The eye irritation hazard is based on evaluation of data for product components.

**Skin Corrosion/Irritation:** The skin irritation hazard is based on evaluation of data for product components.

**Skin Sensitization:** The skin sensitization hazard is based on evaluation of data for similar materials or product components.

**Acute Dermal Toxicity:** The acute dermal toxicity hazard is based on evaluation of data for product components.

**Acute Toxicity Estimate (dermal):** Not Applicable

**Acute Oral Toxicity:** The acute oral toxicity hazard is based on evaluation of data for product components.

**Acute Toxicity Estimate (oral):** 10000 mg/kg

**Acute Inhalation Toxicity:** The acute inhalation toxicity hazard is based on evaluation of data for product components.

**Acute Toxicity Estimate (inhalation):** Not Applicable

**Germ Cell Mutagenicity:** The hazard evaluation is based on data for components or a similar material.

**Carcinogenicity:** The hazard evaluation is based on data for components or a similar material.

**Reproductive Toxicity:** The hazard evaluation is based on data for components or a similar material.

**Specific Target Organ Toxicity - Single Exposure:** The hazard evaluation is based on data for components or a similar material.

**Specific Target Organ Toxicity - Repeated Exposure:** The hazard evaluation is based on data for components or a similar material.

**Aspiration Hazard:** No data available

**Component Information:**

**Serious Eye Damage/Irritation:**

|  |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Test Result: Causes eye irritation                               |
| Oleyl amine ethoxylate                 | Test Result: Causes eye irritation                               |

**Skin Corrosion/Irritation:**

|  |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Test Result: Causes skin irritation                              |
| Oleyl amine ethoxylate                 | Test Result: Causes skin irritation                              |

**Skin Sensitization:**

|  |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | Based on available data, the classification criteria are not met |

**Acute Dermal Toxicity:**

|  |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | Based on available data, the classification criteria are not met |

**Acute Oral Toxicity:**

|  |   |
|--|---|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met    |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met    |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met    |
| Oleyl amine ethoxylate                 | Test Qualifier: LD50<br>Test Result: 200-2000 mg/kg<br>Species: rat |

**Acute Inhalation Toxicity:**

|  |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | Based on available data, the classification criteria are not met |

**Germ Cell Mutagenicity:**

|  |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
|--|--|

|  |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | Based on available data, the classification criteria are not met |

|  |  |
|--|--|
| <b>Carcinogenicity:</b>                |  |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | Based on available data, the classification criteria are not met |

|  |  |
|--|--|
| <b>Reproductive Toxicity:</b>          |  |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | Based on available data, the classification criteria are not met |

|  |  |
|--|--|
| <b>Specific Target Organ Toxicity - Single Exposure:</b> |  |
| Highly refined mineral oil (C15 - C50)                   | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50)                   | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol                                 | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                                   | Based on available data, the classification criteria are not met |

|  |  |
|--|--|
| <b>Specific Target Organ Toxicity - Repeated Exposure:</b> |  |
| Highly refined mineral oil (C15 - C50)                     | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50)                     | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol                                   | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                                     | Based on available data, the classification criteria are not met |

**ADDITIONAL TOXICOLOGY INFORMATION:**

In accordance with the Regulation (EC)No 1272/2008, Nota L, reference IP 346/92: "DMSO Extraction Method", we have determined that the base oils used in this preparation are not carcinogenic.

**SECTION 12 ECOLOGICAL INFORMATION**

**Product Information:**

**12.1 Toxicity**

This material is expected to be toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

**12.2 Persistence and degradability**

This material is not expected to be readily biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

**12.3 Bioaccumulative potential**

Bioconcentration Factor: No Data Available  
 Octanol/Water Partition Coefficient: No data available

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

This product is not, or does not contain, a substance that is a potential PBT or a vPvB.

**12.6 Other adverse effects**



No other adverse effects identified.

**Component Information:**

| <b>Acute Toxicity:</b>                 |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met                                       |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met                                       |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met                                       |
| Oleyl amine ethoxylate                 | Test Qualifier: LC50<br>Test Result: 0.25 mg/l<br>Species: Fish<br>Duration:96 hour(s)                 |
| Oleyl amine ethoxylate                 | Test Qualifier: EC50<br>Test Result: 0.49 mg/l<br>Species: Invertebrate<br>Duration:48 hour(s)         |
| Oleyl amine ethoxylate                 | Test Qualifier: EC50 (growth rate)<br>Test Result: 0.1-1 mg/l<br>Species: Algae<br>Duration:72 hour(s) |

| <b>Long-term Toxicity:</b>             |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | No test data available   |

| <b>Biodegradation:</b>                 |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met                                     |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met                                     |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met                                     |
| Oleyl amine ethoxylate                 | Protocol: OECD 301B-Modified Sturm<br>Test Result: Not readily biodegradable<br>Biodegradation: <60% |

| <b>Bioaccumulative Potential:</b>      |  |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 2-methylpentane-2,4-diol               | Based on available data, the classification criteria are not met |
| Oleyl amine ethoxylate                 | No test data available   |

**SECTION 13 DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.

In accordance with European Waste Catalogue (E.W.C.) the codification is the following:13 02 05

**SECTION 14 TRANSPORT INFORMATION**

The description shown may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

**ADR/RID**

**14.1 UN number:** UN3082  
**14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OLEYL AMINE ETHOXYLATE)  
**14.3 Transport hazard class(es):** 9  
**14.4 Packing group:** III  
**14.5 Environmental hazards:** Yes  
**14.6 Special precautions for user:** Road Tunnel Restriction Code: (-); Hazard ID No: M6

#### ICAO / IATA

**14.1 UN number:** UN3082  
**14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OLEYL AMINE ETHOXYLATE)  
**14.3 Transport hazard class(es):** 9  
**14.4 Packing group:** III  
**14.5 Environmental hazards:** Yes  
**14.6 Special precautions for user:** Not applicable

#### IMO / IMDG

**14.1 UN number:** UN3082  
**14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OLEYL AMINE ETHOXYLATE)  
**14.3 Transport hazard class(es):** 9  
**14.4 Packing group:** III  
**14.5 Environmental hazards:** MARINE POLLUTANT  
**14.6 Special precautions for user:** Not applicable  
**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:** Not applicable

### SECTION 15 REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REGULATORY LISTS SEARCHED:

01=EU Directive 76/769/EEC: Restrictions on the marketing and use of certain dangerous substances.  
02=EU Directive 90/394/EEC: Carcinogens at work.  
03=EU Directive 92/85/EEC: Pregnant or breastfeeding workers.  
04=EU Directive 96/82/EC (Seveso II): Article 9.  
05=EU Directive 96/82/EC (Seveso II): Articles 6 and 7.  
06=EU Directive 98/24/EC: Chemical agents at work.  
07=EU Directive 2004/37/EC: On the protection of workers.  
08=EU Regulation EC No. 689/2008: Annex 1, Part 1.  
09=EU Regulation EC No. 689/2008: Annex 1, Part 2.  
10=EU Regulation EC No. 689/2008: Annex 1, Part 3.  
11=EU Regulation EC No. 850/2004: Prohibiting and restricting persistent organic pollutants (POPs).  
12=EU REACH, Annex XVII: Restrictions on manufacture, placing on the market and use of certain dangerous substances, mixture & article.  
13=EU REACH, Annex XIV: Candidate List of Substances of Very High Concern for Authorization (SVHC).

The following components of this material are found on the regulatory lists indicated.

2-methylpentane-2,4-diol 06

#### CHEMICAL INVENTORIES:

All components comply with the following chemical inventory requirements: AIIIC (Australia), DSL (Canada), KECI (Korea), PICCS (Philippines), TSCA (United States).

One or more components does not comply with the following chemical inventory requirements: ENCS

(Japan).

**COUNTRY REGISTRATION:**

Denmark: YES (1791503)

**15.2 Chemical safety assessment**

No chemical safety assessment.

**SECTION 16 OTHER INFORMATION**

**REVISION STATEMENT:** SECTION 02 - Environmental Classification information was added.

SECTION 02 - Environmental Classification information was deleted.

SECTION 02 - Hazard Statements information was added.

SECTION 02 - Hazard Statements information was deleted.

SECTION 02 - Health Classification information was added.

SECTION 02 - Health Classification information was deleted.

SECTION 02 - Pictogram information was added.

SECTION 02 - Pictogram information was deleted.

SECTION 02 - Precautionary Statements information was added.

SECTION 02 - Precautionary Statements information was deleted.

SECTION 02 - Signal Word information was added.

SECTION 02 - Signal Word information was deleted.

SECTION 05 - Fire Fighters Protection Measures information was added.

SECTION 05 - Fire Fighters Protection Measures information was deleted.

SECTION 09 - Physical/Chemical Properties information was modified.

SECTION 11 - Toxicological Information information was modified.

SECTION 12 - Ecological Information information was modified.

SECTION 15 - Chemical Inventories information was modified.

**Revision Date:** February 10, 2021

**Full text of CLP H-statements:**

H304; May be fatal if swallowed and enters airways

H400; Very toxic to aquatic life

H410; Very toxic to aquatic life with long lasting effects

H319; Causes serious eye irritation

H302; Harmful if swallowed

H315; Causes skin irritation

**ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:**

|                                  |  |
|----------------------------------|--|
| TLV - Threshold Limit Value      | TWA - Time Weighted Average            |
| STEL - Short-term Exposure Limit | PEL - Permissible Exposure Limit       |
| CVX - Chevron                    | CAS - Chemical Abstract Service Number |
| NQ - Not Quantifiable            |  |

Prepared according to the EU Regulation 1907/2006 (as amended) by Chevron Energy Technology Company, 6001 Bollinger Canyon Road, San Ramon, CA 94583.

**The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.**

**No Annex**