

Product description

Delo[®] RPM VR are monograde, heavy-duty engine oils designed to lubricate diesel and petrol engines requiring API CD/SC performance lubricants. The high Total Base Number (TBN) makes it suitable for use with high sulfur fuels at appropriate oil drain intervals.

Customer benefits and product features

Customer benefits

- **Protection for diesel and petrol engines**
Proven metallo-organic anti-wear additive system resists wear by forming a protective layer on contact surfaces under all service conditions.
- **Preserves Power and Performance**
Metallic detergent and ashless dispersant additive system preserves power and performance by providing good deposit control at high temperature zones like piston and ring.
- **Reduce maintenance costs**
Good oxidation stability resists oil degradation and protects against oil thickening, and oil line and filter plugging.

Delo[®] RPM VR

Heavy Duty Diesel and Petrol Engine Oil



Applications

- Diesel and petrol engines (high-speed, four-stroke, turbocharged or naturally aspirated)
- Commercial road transport
- Off-highway vehicles
- Agricultural tractors
- High speed diesel and petrol engines in marine service (e.g., fishing boats, river transport)
- Generator sets

Product approvals, performance and recommendations

Performance standards

- API CD/SC

Typical test data

DELO [®] RPM VR	TEST METHOD	RESULTS	
Viscosity Grade		40	50
Viscosity, Kinematic,			
mm ² /s @ 40°C	ASTM D445	154	233
mm ² /s @ 100°C	ASTM D445	14.5	19.1
Viscosity Index		92	92
Base No., mg KOH/g	ASTM D2896	9.4	9.3
Calcium, mass %		0.34	0.34
Zinc, mass %		0.04	0.04

ENVIRONMENT, HEALTH, and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions, and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the Product Information Center.

This Product Data Sheet (PDS) was produced for the Africa, Middle East and Pakistan region in good faith from the best information available at the time of issue. The specific information included may not directly reflect the local market or conditions. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. For the most up-to-date, country-specific information, please contact your local customer service center.

This document includes registered and unregistered trademarks, service marks, logos and trade names owned by Chevron Intellectual Property LLC and/or its affiliates, or owned by third parties whose products, services or standards are referred to. You must not use any trademark that appears in this document without permission from the relevant owner.