

Havoline® Super 4T Fully Synthetic

High Performance Premium Four-Stroke Motorcycle Oil



Product description

Havoline® Super 4T Fully Synthetic is a premium fully synthetic oil with Havoline **C.O.R.E. Technology**, specially formulated to suit the demanding needs of high performance motorcycles in all city riding conditions.

Customer benefits and product features

Customer benefits

- **Enhances acceleration and seamless shifting**
Experience enhanced acceleration from the get-go, with improved clutch grip and seamless shifting throughout all RPMs. High static friction prevents clutch slippage, ensuring maximum power transfer for acceleration, especially in high load conditions.
- **Reliable and trusted protection**
You can now enjoy a worry-free ride as the oil's superior thermal stability helps to prevent it from breaking down, increasing protection against engine heat damage. High shear stability keeps the engine further protected under all kinds of riding conditions.
- **Performs and protects during every ride**
High quality, fully synthetic Group III base oils are selected to ensure oil retains its intended properties between each service interval.
- **Keeps clean and stays clean**
Engine is kept clean and in peak condition, thanks to excellent detergency and Havoline's unique deposit control properties.

Product features

- Havoline C.O.R.E. Technology delivers four key benefits:
 - Cleans and protects
 - Oxidation stability
 - Reduces engine heat damage
 - Enhances acceleration
- Havoline motorcycle oils ensure your motorcycle always performs at its best.

Havoline[®] Super 4T Fully Synthetic

High Performance Premium Four-Stroke Motorcycle Oil



Applications

- Modern air- and liquid-cooled four-stroke motorcycle engines.
- Suitable for modern engines that require low viscosity oils for better fuel efficiency and overall engine response (SAE 5W-30).
- Suitable for modern engines that require added protection and improved wear resistance (SAE 5W-40).
- Suitable for v-twin and big bore engines. Thicker oil also ensures an added layer of protection against engine wear (SAE 10W-50).
- Motorcycles with back torque limiters.
- Motorcycles with exhaust catalytic converters.
- Motorcycles with combined engine and transmission units, or separate gearboxes where a multi-grade JASO MA or JASO MA2 engine oil is specified.

Approvals, performance and recommendations

Performance standards

- JASO MA2 (2016)
JASO Identification Numbers:
 - SAE 5W-30 M065CTP251
 - SAE 5W-40 M065CTP261
 - SAE 10W-50 M065CTP271
- API SN

Service considerations

The JASO MA2 category defines the highest friction motorcycle oils suitable for use in most critical the oil-immersed clutch installations. Oils which meet JASO MA2 also meet in full JASO MA, so may be used wherever JASO MA is specified. JASO allows an oil to be labelled as either JASO MA2 or JASO MA, but not both simultaneously.

Always refer to the vehicle's owners manual to determine the recommended viscosity grades for the engine.

Havoline® Super 4T Fully Synthetic

High Performance Premium Four-Stroke Motorcycle Oil



Typical test data

HAVOLINE SUPER 4T FULLY SYNTHETIC			
SAE Grade	5W-30	5W-40	10W-50
Product Code	500721	500722	500723
Base No., D2896, mgKOH/g	8.0	10.0	9.4
Sulfated Ash, mass %	0.8	1.2	1.1
Kin. Viscosity			
mm ² /s @ 40°C	57.1	83.6	116.5
mm ² /s @ 100°C	9.9	13.9	17.5
Phosphorus, mass %	0.08	0.096	0.096

1707

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Asia Pacific.

ENVIRONMENT, HEALTH and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the [Product Information Center](#).

This Product Data Sheet (PDS) was produced for the Asia Pacific region based on the best available information at the time of issue. The specific information included may not directly reflect the market or conditions, and may vary. For the most up-to-date, country-specific information, please contact your local customer service center.

[Visit Product Information Center >](#)

Havoline® Super 4T Fully Synthetic/Asia Pacific/CHV/PDSv1_062024



A Chevron company product

© 2024 Chevron Products Company. Asia Pacific.
All Rights Reserved.