

Texpar[®] CNO

CNO process oils

Product description

Texpar CNO process oils are a new generation of Group II-based process oils. They offer extremely low sulphur, nitrogen and aromatic content and are designed to provide good thermal and oxidation stability.

Customer benefits

- · Designed with improved oxidation and thermal stability
- · Formulated for low aromatic property performance
- Offers good low temperature characteristics

Applications

Texpar CNO process oils are widely used in the following applications:

- · in the manufacturing of printing inks
- · as a carrier for soluble oils
- as extenders/softeners for rubbers and plastics
- · as a carrier for lubricant additives
- · as an anti-dust oil for fertilisers and explosives
- · as an impregnating oil

Product highlights

- · Provides improved oxidation and thermal stability
- Designed for low aromatic property performance
- Offers good low temperature characteristics

Typical test data				
Test	Test Methods	Results		
Texpar		CNO 4	CNO 6	CNO 12
Shelf Life: 60 months from date of filling indicated on the product label				
Kin viscosity at 40°C, mm²/s	ASTM D445	20.10	41.2	102
Kin viscosity at 100°C, mm²/s	ASTM D445	4.10	6.5	12.0
VI	ASTM D 2270	103	104	102
Density at 15°C, kg/l	_	0.8525	0.8614	0.8660
Colour	ASTM D1500	L0.5	L0.5	L0.5
Pour Point, °C	ASTM D97	-15	-15	-14
TAN, mg KOH/g	ASTM D974	0.01	0.01	0.01
Sulphur, ppm	ICP	< 6	< 6	< 6
Flash point COC, °C	ASTM D92	206	230	270

The information given in the typical data does not constitute a specification but is an indication based on current production and can be affected by allowable production tolerances. The right to make modifications is reserved. This supersedes all previous editions and information contained in them.

<u>Disclaimer</u> Chevron accepts no liability for any loss or damage suffered as a result of using this product for any application other than applications specifically stated in any Product Data Sheet's.

Health, safety, storage and environmental Based on current available information, this product is not expected to produce adverse effects on health when used for the intended application and in accordance with the recommendations provided in the Material Safety Data Sheet (MSDS). MSDS's are available upon request through your local sales office, or via the Internet. This product should not be used for purposes other than its intended use. When disposing of used product, take care to protect the environment and follow local legislation.