Havoline® SuperMatic 4T Semi-Synthetic

High-Performance Premium Four-Stroke Scooter Oil

Product description

Havoline® SuperMatic 4T Semi-Synthetic is a high quality semi-synthetic scooter oil with Havoline® C.O.R.E.+ Technology, formulated to help provide performance and protection for scooters operating in urban riding conditions.

Customer benefits and product features

Customer benefits

- **Tailored scooter additive package**
  This semi-synthetic engine oil contains an additive package developed to meet the requirements of scooter engines, helping maintain smooth engine performance and manage engine temperatures.
- **Helps protect the engine and improve efficiency**
  Thermal stability helps protect against heat-related engine damage, while low-friction properties help improve operating efficiency.
- **Helps improve fuel economy**
  Low-friction characteristics help contribute to improved fuel economy.
- **Helps control viscosity increase**
  Helps control viscosity increase and maintain oil flow, while helping to provide resistance to thermal degradation.

Product features

Havoline® C.O.R.E.+ Technology is formulated to help deliver four key benefits:

- Helps clean and protect engine components
- Offers good oxidation stability
- Helps resist thermal degradation
- Helps improve fuel efficiency

A Chevron company product. All trademarks are property owned by Chevron Intellectual Property LLC.

Visit Product Information Center >

Havoline® SuperMatic 4T Semi-Synthetic

High-Performance Premium Four-Stroke Scooter Oil

Applications

- Modern air- and liquid-cooled four-stroke scooter engines
- Modern scooter engines requiring low-viscosity oils to help improve fuel efficiency and engine response (SAE 10W-30)
- Modern scooter engines requiring engine protection and wear resistance (SAE 10W-40)
- Scooters with exhaust catalytic converters
- SAE 10W-30 viscosity grade is recommended by Honda
- SAE 10W-40 viscosity grade is recommended by Yamaha

Not recommended for use in scooters where a multigrade **JASO MA** engine oil is specified.

Not recommended for use in motorcycles with oil-immersed clutches or combined engine, clutch and gearbox lubrication from a single sump.

Product approvals, performance and recommendations

HAVOLINE® SUPERMATIC 4T SEMI-SYNTHETIC	SAE 10W-30	SAE 10W-40
JASO MB (2023)	M	M
API SQ	M	M

M: Meets the requirements

A Chevron company product. All trademarks are property owned by Chevron Intellectual Property LLC.

Visit Product Information Center >

Havoline® SuperMatic 4T Semi-Synthetic

High-Performance Premium Four-Stroke Scooter Oil

Typical test data

HAVOLINE® SUPERMATIC 4T SEMI-SYNTHETIC	TEST METHOD	RESULTS	
SAE Grade		**10W-30**	**10W-40**
Product Code		**500717**	**500720**
Colour (visual)	SM 041	Red	Red
Density at 15 °C (kg/L)	ASTM D4052	0.862	0.862
Kinematic Viscosity,			
mm²/s @ 40°C	ASTM D445	74.2	98
mm²/s @ 100°C	ASTM D445	11.3	14.2
Pour Point, °C	ASTM D97	-36	-36
Sulfated Ash, mass%	ASTM D874	0.7	0.7
Base Number, mg KOH/g	ASTM D2896	7.2	7.2

1026

ENVIRONMENT, HEALTH, and SAFETY. Information is available on this product in the Safety Data Sheet (SDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions, and comply with laws and regulations concerning product use and disposal. To obtain an SDS for this product, visit the Product Information Center.

This Product Data Sheet (PDS) was produced for the Asia-Pacific region in good faith from the best information available at the time of issue. The specific information included may not directly reflect the local market or conditions. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. For the most up-to-date, country-specific information, please contact your local customer service center.

Customers should always confirm that the product selected is consistent with the original equipment manufacturer's recommendation for the equipment operating conditions and customer's maintenance practices.

This document includes registered and unregistered trademarks, service marks, logos and trade names owned by Chevron Intellectual Property LLC and/or its affiliates, or owned by third parties whose products, services or standards are referred to. You must not use any trademark that appears in this document without permission from the relevant owner.

Chevron's Family of Brands

A Chevron company product

© 2026 Chevron Products Company. Asia Pacific. All Rights Reserved.