Havoline[®] Super 4T Fully Synthetic

High Performance Premium Four-Stroke Motorcycle Oil



Product description

Havoline[®] Super 4T Fully Synthetic is a premium fully synthetic oil with Havoline[®] C.O.R.E.+ Technology, specially formulated to suit the demanding needs of high-performance motorcycles in all city riding conditions.

Customer benefits and product features

Enhances acceleration and seamless shifting

Experience enhanced acceleration from the get-go and seamless shifting throughout all RPM. ZOOMTECH delivers excellent oil frictional properties to help improve clutch grip and enhance acceleration. High static friction helps prevent clutch slippage, contributing to maximum power transfer, especially under high load conditions.

Reliable and trusted protection

You can now enjoy a worry-free ride as the oil's excellent thermal stability helps prevent it from breaking down and helps protect against engine heat damage. High shear stability keeps the engine further protected under all kinds of standard riding conditions.

Performs and protects during every ride

High quality, fully synthetic Group III base oils are selected to ensure the oil retains its intended properties between each service interval.

Keeps clean and stays clean

Helps keep engines clean and in peak condition, thanks to excellent detergency and deposit control properties of Havoline[®].

Havoline® C.O.R.E.+ Technology delivers four key benefits:

- Cleans and protects helps maintain efficient engine performance
- Oxidation stability helps protect against oil degradation
- · Helps reduce engine heat damage to deliver continuous oil stability
- Enhances acceleration helps improve clutch grip under high loads with ZOOMTECH

Havoline® motorcycle oils help ensure your motorcycle performs at its best.

Applications

- Modern air- and liquid-cooled four-stroke motorcycle engines
- Suitable for modern engines that require added protection and improved wear resistance (SAE 5W-40 and SAE 10W-40)
- Suitable for v-twin and big bore engines. Thicker oil also helps provide an added layer of protection against engine wear (SAE 10W-50)
- Motorcycles with back torque limiters
- Motorcycles with exhaust catalytic converters
- Motorcycles with combined engine and transmission units, or separate gearboxes where a multi-grade JASO MA or JASO MA2 engine oil is specified
- SAE 10W-40 viscosity grade oils are recommended by Yamaha, Suzuki, and Kawasaki

Havoline[®] Super 4T Fully Synthetic

High Performance Premium Four-Stroke Motorcycle Oil

Product approvals, performance and recommendations

Developed independently by Chevron to comply with the following performance standards and specifications:

 T903:2016 JASO MA2 JASO Identification Number: M065CVX262 (SAE 5W-40) M065CVX216 (SAE 10W-40) M065CVX272 (SAE 10W-50)

2. API SN

Consult OEM representatives for independent verification, updates and recommendations.



Havoline[®] Super 4T Fully Synthetic



High Performance Premium Four-Stroke Motorcycle Oil

Typical Test Data

HAVOLINE [®] SUPER 4T FULLY SYNTHETIC KEY PROPERTIES	RESULTS		
SAE Grade	5W-40	10W-40	10W-50
Product Code	500722	500694	500723
Base no. (D2896, mgKOH/g)	7.6	7.7	7.7
Pour Point, °C	-39	-37	-36
Sulphated Ash, m%	0.9	0.9	0.9
Viscosity,			
- mm²/s @ 100°C	14.2	13.9	16.6
Phosphorus, m%	0.08	0.08	0.08

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and chara cteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Asia Pacific.

ENVIRONMENT, HEALTH and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the <u>Product Information Center</u>.

This Product Data Sheet (PDS) was produced for the Asia Pacific region based on the best available information at the time of issue. The specific information included may not directly reflect the market or conditions, and may vary. For the most up-to-date, country-specific information, please contact your local customer service center.



