Talcor Breakout Blue

Anti-seize compound



Product description

TALCOR BREAKOUT BLUE is an anti-seize compound with a distinctive blue colour with its revolutionary technology, consisting of the new generation of stable anti- weld fillers, highly refined, high viscosity base stocks bound with a high melt complex thickener.

Customer benefits and product features

- Contains no heavy metal fillers or heavy metal additives.
- Adhesive and cohesive properties ensure excellent adhesion, even in wet conditions, whilst helping to minimise fling-off.
- High drop point complex thickener provides excellent pumpability and good stability at high temperatures.
- Will not build up in thread roots, yet leaves sufficient coverage to help extend re-lubrication cycles.

Applications

All drill rod, tubes and flanges that are constantly connected and disconnected, typical of the on-shore drilling industry.

Note: Due to its chemical formulation Breakout Blue is not recommended for general purpose greasing.

Product approvals, performance and recommendations

• N/A

Talcor Breakout Blue

Anti-seize compound



Typical test data

TALCOR BREAKOUT BLUE KEY PROPERTIES	RESULTS
NLGI Grade	1
Product Code	571390
Thickener	Complex based
Dropping Point °C	265
Base Fluid Viscosity (cSt) @ 40°C	426.1
Safe Operating Temperature °C	152
Four Ball EP Test Weld Point (kgf)	400

2212

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Asia Pacific

ENVIRONMENT, HEALTH and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the Product Information Center.

This Product Data Sheet (PDS) was produced for the Asia Pacific region based on the best available information at the time of issue. The specific information included may not directly reflect the market or conditions, and may vary. For the most up-to-date, country-specific information, please contact your local customer service center.

