

# Havoline® ProDS Fully Synthetic ECO SAE 0W-20



Passenger Car Motor Oil

## Product description

**Havoline® ProDS Fully Synthetic ECO SAE 0W-20** is a fully synthetic motor oil with Deposit Shield Technology, a cleaning booster formulated to help provide protection that supports the performance and efficiency of high-performance engines, particularly under stop-and-go driving conditions, severe temperatures, and heavy loads.

It is formulated to help protect vehicles equipped with direct-injection engines and turbochargers, as well as those requiring a full synthetic motor oil.

## Customer benefits and product features

### Customer benefits

- **Low-Speed Pre-Ignition LSPI Protection**  
Formulated to help mitigate low-speed pre-ignition (LSPI) in turbocharged gasoline direct injection (TGDI) engines, supporting protection of critical engine components.
- **Engine Cleanliness**  
Designed to help reduce the formation of sludge, varnish, and piston deposits, supporting cleaner engine operation over time.
- **Turbocharger Protection**  
Helps maintain cleanliness of turbocharger components, supporting efficient operation and durability.
- **Performance and Fuel Economy Support**  
Formulated to help maintain engine performance and support fuel economy benefits when used in accordance with original equipment manufacturer (OEM) recommendations.
- **Wear and Corrosion Protection**  
Provides protection against wear and corrosion under a wide range of operating conditions, supporting durability of engine and associated components.
- **Oxidation Stability**  
Designed to provide resistance to oxidation and thermal degradation, supporting oil performance over manufacturer-recommended drain intervals.

### Product features

- Havoline ProDS Fully Synthetic ECO SAE 0W-20 with Deposit Shield Technology is formulated with fully synthetic base oils and advanced additives technology, including antioxidants and friction modifiers, to help support engine protection and performance. It is designed to help protect against heat, pressure, corrosion, and wear, while providing oxidation protection, volatility control, and cold temperature performance compared with conventional and partial synthetic motor oils.

# Havoline® ProDS Fully Synthetic ECO SAE 0W-20



Passenger Car Motor Oil

## Applications

Havoline ProDS Fully Synthetic ECO SAE 0W-20 with Deposit Shield Technology is recommended by Chevron for use in:

- Advanced, high-power density and performance engines with turbochargers, gasoline direct injection
- Vehicles operating in extreme hot or cold or stop-and-go driving conditions
- Passenger cars, pickup trucks, SUVs and working vans in new and older vehicles
- FCA, Ford, GM, Honda, Mazda, Nissan and Toyota engines where an API SQ or ILSAC GF-7A SAE 0W-20 lubricant is recommended

Consult OEM representatives for independent verification, updates and recommendations.

## Product approvals, performance and recommendations

HAVOLINE® PRODS FULLY SYNTHETIC ECO	SAE 0W-20
API SQ-RC	Approved
ILSAC GF-7A	Approved
General Motors dexos 1 Gen 3	Licensed
Ford WSS-M2C962-A1	Meets the requirements
Ford WSS-M2C947-B1	Meets the requirements
Ford WSS-M2C972-A1	Meets the requirements

# Havoline<sup>®</sup> ProDS Fully Synthetic ECO SAE 0W-20

Passenger Car Motor Oil



## Typical test data

HAVOLINE <sup>®</sup> PRODS FULLY SYNTHETIC	TEST METHOD	RESULT
<b>SAE Grade</b>		<b>0W-20</b>
<b>Product Code</b>		<b>500292</b>
Density, 15 kg/L	ASTM D4052	0.84
Kinematic Viscosity, mm <sup>2</sup> /s @ 40°C	ASTM D445	41.1
mm <sup>2</sup> /s @ 100°C	ASTM D445	8.1
Viscosity Index	ASTM D2270	176
Pour Point, °C	ASTM D97	-45
Phosphorus, mass %	ASTM D4591	0.06
Sulfated Ash, mass %	ASTM D874	0.7
Zinc, mass %	ASTM D4591	0.08

0226

ENVIRONMENT, HEALTH, and SAFETY. Information is available on this product in the Safety Data Sheet (SDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions, and comply with laws and regulations concerning product use and disposal. To obtain an SDS for this product, visit the Product Information Center.

This Product Data Sheet (PDS) was produced for the Asia-Pacific region in good faith from the best information available at the time of issue. The specific information included may not directly reflect the local market or conditions. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. For the most up-to-date, country-specific information, please contact your local customer service center.

Customers should always confirm that the product selected is consistent with the original equipment manufacturer's recommendation for the equipment operating conditions and customer's maintenance practices.

This document includes registered and unregistered trademarks, service marks, logos and trade names owned by Chevron Intellectual Property LLC and/or its affiliates, or owned by third parties whose products, services or standards are referred to. You must not use any trademark that appears in this document without permission from the relevant owner.

[Visit Product Information Center >](#)

HAVOLINE FULLY SYNTHETIC ECO SAE 0W-20-AP-v3-270526



**A Chevron company product**

© 2026 Chevron Products Company. Asia Pacific.  
All Rights Reserved.