# **Safety Data Sheet**



## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1 Product identifier Delo SHP SAE 30

Product Number(s): 219207, 293100, 500572, 840706

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses: Inland Marine Oil

#### 1.3 Details of the supplier of the safety data sheet

Chevron Products UK Limited 1 Westferry Circus Canary Wharf London E14 4HA United Kingdom

email: eumsds@chevron.com

## 1.4 Emergency telephone number Transportation Emergency Response

Europe: 0044/(0)18 65 407333 and CHEMTREC: +1 703 527 3887

**Health Emergency** 

Chevron Emergency Information Center: Located in the USA, international calls accepted 24 hours: +1

510 231 0623

Europe: 0044/(0)18 65 407333

**Product Information** 

Product Information: FAX number: 0044/20 77 19 5171

#### **SECTION 2 HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture

#### **CLP CLASSIFICATION:**

- Reproductive toxicant: Category 1B, H360; May damage fertility or the unborn child.
- Skin Sensitizer: Category 1, H317; May cause an allergic skin reaction.

#### 2.2 Label elements

Under the criteria of GB CLP:



Signal Word: Danger

 Revision Number:
 11
 1 of 18
 Delo SHP SAE 30

 Revision Date:
 August 14, 2025
 SDS:
 36882

## **HAZARD STATEMENTS:**

#### **Health Hazards:**

May cause an allergic skin reaction (H317).

· May damage fertility or the unborn child (H360).

- contains: Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts

Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††

Phenol, dodecyl-, branched

## PRECAUTIONARY STATEMENTS:

#### **Prevention:**

• Obtain special instructions before use (P201).

Wear protective gloves/protective clothing/eye protection/face protection (P280).

#### Response:

• IF exposed or concerned: Get medical advice/attention (P308+P313).

• If skin irritation or rash occurs: Get medical advice or attention (P333+P313).

• Take off contaminated clothing and wash it before reuse (P362+P364).

#### Disposal:

• Dispose of contents and container in accordance with applicable local, regional, national, and international regulations (P501).

Supplemental Hazard Information (EU): Restricted to professional users.

#### 2.3 Other hazards

This material does not contain a substance considered to be PBT or vPvB at levels of 0.1% weight or higher.

## **SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

This material is a mixture.

COMPONENTS	CAS	EC	REGISTRATION	GB CLP	AMOUNT
	NUMBER	NUMBER	NUMBER	CLASSIFICATION	
Distillates, hydrotreated heavy paraffinic	64742-54-7	265-157-1	UK-01- 1759217276-5, UK-20- 0823962999-X- XXXX	None	70 - 85 %weight
Highly refined mineral oil (C15 - C50)	Mixture	*	**	None	5 - 10 %weight
Benzenesulfonic acid, methyl-, mono-C20-24- branched alkyl derivs., calcium salts	722503-68-6	682-816-2	**	Skin Sens. 1B/H317	1 - 5 %weight
Phenol,paraalkylation prod. with C10-15 branched olefins (C12 rich) derived from propene oligomerization,carbona tes,Ca salts,overbased,sulfuriz	68784-26-9	701-251-5	**	Aquatic Chronic 4/H413	1 - 5 %weight

Revision Number: 11 2 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882

ed including dist. (petroleum),hydrotreate d,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15-C50†					
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	68855-45-8	701-249-4	UK-01- 2548210003-6	Aquatic Chronic 4/H413	1 - 5 %weight
Phenol, dodecyl-, branched****	121158-58-5	310-154-3	**	Aquatic Acute 1/H400 [M=10]; Aquatic Chronic 1/H410 [M=10]; Eye Dam. 1/H318; Repr. 1B/H360F; Skin Corr. 1C/H314	0.3 - < 1.5 %weight
Zinc bis[bis(tetrapropyleneph enyl)] bis(hydrogen dithiophosphate)††	11059-65-7	234-277-6	**	Aquatic Chronic 3/H412; Repr. 1B/H360d	0.1 - < 1 %weight

The full text of all CLP H-statements is shown in Section 16.

In accordance with reference IP 346/92: "DMSO Extraction Method", we have determined that the base oils used in this preparation contain <3% DMSO extract and are not carcinogenic.

\*Contains one or more of the following EINECS numbers: 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

## SECTION 4 FIRST AID MEASURES

#### 4.1 Description of first aid measures

**Eye:** No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

**Skin:** Wash skin with water immediately and remove contaminated clothing and shoes. Get medical attention if any symptoms develop. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

**Ingestion:** No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.

**Inhalation:** No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort

 Revision Number:
 11
 3 of 18
 Delo SHP SAE 30

 Revision Date:
 August 14, 2025
 SDS: 36882

<sup>\*\*</sup>Not available or substance is not currently required for registration under UK REACH.

<sup>\*\*\*\*</sup> This component results in product being classified as Category 1B for reproductive toxicity in the European Economic Area.

occurs.

## 4.2 Most important symptoms and effects, both acute and delayed IMMEDIATE SYMPTOMS AND HEALTH EFFECTS

**Eye:** Not expected to cause prolonged or significant eye irritation.

**Skin:** Contact with the skin may cause an allergic skin reaction. Symptoms may include pain, itching, discoloration, swelling, and blistering.

**Ingestion:** Not expected to be harmful if swallowed.

**Inhalation:** Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

**DELAYED OR OTHER SYMPTOMS AND HEALTH EFFECTS:** May cause adverse reproductive effects based on animal data. This material may cause harm to the unborn child based on animal data.

**4.3 Indication of any immediate medical attention and special treatment needed** Not applicable.

## **SECTION 5 FIRE FIGHTING MEASURES**

#### 5.1 Extinguishing media

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

## 5.2 Special hazards arising from the substance or mixture

**Combustion Products:** Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. Combustion may form oxides of: Calcium, Nitrogen, Sulfur .

#### 5.3 Advice for firefighters

This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Observe all relevant local and international regulations. Eliminate all sources of ignition in vicinity of spilled material. Keep out unnecessary and unprotected personnel. Persons entering the contaminated area to correct the problem or to determine whether it is safe to resume normal activities must comply with all instructions in the Exposure Controls/PersonalProtection section. Refer to Sections 5 and 8 for more information.

## 6.2 Environmental precautions

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater.

## 6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil and dispose of in a manner consistent with applicable requirements. Place other contaminated materials in disposable containers and dispose of in a manner consistent with applicable requirements. Report spills to local authorities as appropriate or required.

## 6.4 Reference to other sections

 Revision Number:
 11
 4 of 18
 Delo SHP SAE 30

 Revision Date:
 August 14, 2025
 SDS:
 36882

## **SECTION 7 HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

**General Handling Information:** Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

**Precautionary Measures:** Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Wash thoroughly after handling.

**Static Hazard:** Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.

**Container Warnings:** Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

## 7.2 Conditions for safe storage, including any incompatibilities Not Applicable

7.3 Specific end use(s):Inland Marine Oil

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

## **GENERAL CONSIDERATIONS:**

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the workplace when designing engineering controls and selecting personal protective equipment (PPE). If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, refer to PPE information below.

Factors that affect PPE include, but are not limited to: properties of the chemical, other chemicals which may contact the same PPE, physical requirements (fit & sizing, cut/puncture protection, dexterity, thermal protection, etc.), and potential allergic reactions to the PPE material. It is the responsibility of the user to read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Refer to appropriate CEN standards.

## 8.1 Control parameters

#### Occupational Exposure Limits:

Component	Country/ Agency	Form	TWA	STEL	Ceiling	Notation
Highly refined mineral oil (C15 - C50)	United Kingdom		5 mg/m3	10 mg/m3	1	-

Consult local authorities for appropriate values.

#### 8.2 Exposure controls

#### **ENGINEERING CONTROLS:**

Use general ventilation, local exhaust ventilation, or a combination of both.

#### PERSONAL PROTECTIVE EQUIPMENT

**Eye/Face Protection:** Wear protective equipment to prevent eye contact. Selection of protective equipment may include safety glasses, chemical goggles, face shields, or a combination depending on

Revision Number: 11 5 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882

the work operations conducted.

**Skin Protection:** Wear chemical personal protective equipment (PPE) to prevent skin contact. Selection of chemical protective clothing should be performed by an Occupational Hygienist or Safety Professional and be based upon applicable standards (ASTM F739 or EN 374). Using chemical PPE depends upon operations conducted and may include chemical gloves, boots, chemical apron, chemical suit, and complete facial protection. **Refer to PPE manufacturers to obtain breakthrough time information to determine how long PPE can be used before it needs to be replaced.** Unless specific glove manufacturer data indicates otherwise, the below table is based upon available industry data to assist in the glove selection process and is intended to be used as reference only.

Chemical Glove Material	Thickness (mm)	Typical Breakthrough Time (minutes)
Butyl	0.7	120
Neoprene	0.61	60
Nitrile	0.8	30
Nitrile	0.23	7
Polyvinyl Chloride (PVC)	1.1	15
Viton Butyl	0.3	120

**Respiratory Protection:** A site-specific risk assessment should be conducted by an Occupational Hygienist or a Safety Professional to determine the type and use of respiratory protective equipment. When a site-specific risk assessment determines that respiratory protection is required, use an approved respirator such as:

## Air purifying respirator -

If airborne concentration limits exceed the applicable occupational exposure limit, but are below the maximum use concentration.

Vapors only: organic vapor cartridge (filter type A3 per EN 529:2005).

Vapors and particulates (including generated mists): both an organic vapor cartridge & particulate filter (AP3 filter per EN 529:2005).

Refer to respirator manufacturers to obtain service life of cartridge / filter.

#### Positive pressure air-supplying respirator -

If airborne concentration limits exceed the maximum use concentration offered from an air purifying respirator.

Refer to EN 529:2005, USA OSHA 1910.134, and/or other applicable local/regional/national/international standards for regulatory requirements.

#### **ENVIRONMENTAL EXPOSURE CONTROLS:**

See relevant Community environmental protection legislation or the Annex, as applicable.

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Attention: the data below are typical values and do not constitute a specification.

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Color: Brown to yellow Physical State: Liquid Odor: Petroleum odor

Odor Threshold: No data available

**pH:** Not Applicable

Melting Point: No data available Freezing Point: Not Applicable

 Revision Number:
 11
 6 of 18
 Delo SHP SAE 30

 Revision Date:
 August 14, 2025
 SDS: 36882

Initial Boiling Point: No data available

Flashpoint: (Cleveland Open Cup) 220 °C (428 °F) (Minimum)

**Evaporation Rate:** No data available **Flammability (solid, gas):** Not Applicable

Flammability (Explosive) Limits (% by volume in air):

Lower: Not Applicable Upper: Not Applicable

Vapor Pressure: No data available Relative Vapor Density: No data available Density: 0.89 kg/l @ 15°C (59°F) (Typical)

**Solubility:** Soluble in hydrocarbons; insoluble in water

Partition coefficient n-octanol/water (logarithmic value): No data available

**Auto-ignition temperature:** No data available **Decomposition temperature:** No data available

Kinematic Viscosity: 95 mm2/s @ 40°C (104°F) (Minimum)

**Explosive Properties:** No Data Available **Oxidising properties:** No Data Available

9.2 Other Information: No Data Available

## **SECTION 10 STABILITY AND REACTIVITY**

**10.1 Reactivity:** May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

**10.2 Chemical Stability:** This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions: Hazardous polymerization will not occur.

10.4 Conditions to Avoid: Not applicable

10.5 Incompatible materials to avoid: Not applicable

10.6 Hazardous decomposition products: None known (None expected)

#### **SECTION 11 TOXICOLOGICAL INFORMATION**

#### 11.1 Information on hazard classes

**Product Information:** 

**Serious Eye Damage/Irritation:** The material is not considered an eye irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Skin Corrosion/Irritation:** The material is not considered a skin irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Skin Sensitization:** The material may cause an allergic skin reaction. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Acute Dermal Toxicity:** The material is not considered a dermal toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (dermal): Not Applicable

**Acute Oral Toxicity:** The material is not considered an oral toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (oral): Not Applicable

**Acute Inhalation Toxicity:** The material is not considered an inhalation toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (inhalation): Not Applicable

 Revision Number:
 11
 7 of 18
 Delo SHP SAE 30

 Revision Date:
 August 14, 2025
 SDS:
 36882

**Germ Cell Mutagenicity:** The material is not considered a mutagen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Carcinogenicity:** The material is not considered a carcinogen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Reproductive Toxicity:** This material may damage fertility or the unborn child. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Specific Target Organ Toxicity - Single Exposure:** The material is not considered a target organ toxicant (single exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Specific Target Organ Toxicity - Repeated Exposure:** The material is not considered a target organ toxicant (repeated exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Aspiration Hazard:** The material is not considered an aspiration hazard.

## **Component Information:**

component information.		
Serious Eye Damage/Irritation:		
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met	
Phenol,paraalkylation prod. with C10- 15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15- C50†	Based on available data, the classification criteria are not met	
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met	
Phenol, dodecyl-, branched	Test Result: Causes serious eye damage	
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met	

Skin Corrosion/Irritation:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat.	Based on available data, the classification criteria are not met

Revision Number: 11 8 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882

dewaxed, light/heavy paraffinic C15-C50†	
Phenol,paraalkylation prod. with C10- 15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15- C50†	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched	Test Result: Causes severe skin burns and eye damage * read-across data from similar material
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

Skin Sensitization:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Phenol,paraalkylation prod. with C10- 15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15- C50†	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Test Result: May cause allergic skin reaction * read-across data from similar material
Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

Acute Dermal Toxicity:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Phenol,paraalkylation prod. with C10-	Based on available data, the classification criteria are not met

 Revision Number: 11
 9 of 18
 Delo SHP SAE 30

 Revision Date: August 14, 2025
 SDS: 36882

15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent-refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15-C50†	
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

Acute Oral Toxicity:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Phenol,paraalkylation prod. with C10- 15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15- C50†	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

Acute Inhalation Toxicity:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Phenol,paraalkylation prod. with C10- 15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including	Based on available data, the classification criteria are not met

 Revision Number: 11
 10 of 18
 Delo SHP SAE 30

 Revision Date: August 14, 2025
 SDS: 36882

dist. (petroleum),hydrotreated,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15- C50†	
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

Germ Cell Mutagenicity:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Phenol,paraalkylation prod. with C10-15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent-refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

Carcinogenicity:		
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met	
Phenol,paraalkylation prod. with C10- 15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15- C50†	Based on available data, the classification criteria are not met	
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met	

Revision Number: 11 11 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882

Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)]	Based on available data, the classification criteria are not met
bis(hydrogen dithiophosphate)††	

Reproductive Toxicity:		
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met	
Phenol,paraalkylation prod. with C10- 15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent- refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15- C50†	Based on available data, the classification criteria are not met	
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met	
Phenol, dodecyl-, branched	Test Result: May damage fertility or the unborn child if ingested based on animal data	
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Test Result: May damage fertility or the unborn child	

Specific Target Organ Toxicity - Single Exposure:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Phenol,paraalkylation prod. with C10-15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent-refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

 Revision Number: 11
 12 of 18
 Delo SHP SAE 30

 Revision Date: August 14, 2025
 SDS: 36882

Specific Target Organ Toxicity - Repeated Exposure:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Phenol,paraalkylation prod. with C10-15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent-refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15-C50†	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched	Based on available data, the classification criteria are not met
Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	Based on available data, the classification criteria are not met

## ADDITIONAL TOXICOLOGY INFORMATION:

Tetrapropenyl phenol (TPP), also known as dodecyl phenol, was tested in a rat oral gavage one-generation reproductive toxicity study (doses of 0, 5, 25, or 125 mg/kg/day) and a rat dietary two-generation reproductive toxicity study (doses of 0, 1.5, 15, or 75 mg/kg/day). Results from the one-generation study demonstrated reduced ovary weights and changes in male reproductive accessory organs (decreased organ weights, decreased secretions, and decreased epididymal sperm concentrations) at 25 mg/kg/day; 5 mg/kg/day was identified as the No Observed Adverse Effect Level (NOAEL). Results from the two-generation study demonstrated prolonged estrous cyclicity, reduced ovary weights, accelerated sexual maturation, decreased mean live litter size, decreased fertility rates, hypospermia, and reduced weights in male reproductive accessory organs at 75 mg/kg/day; 15 mg/kg/day was identified as the NOAEL.

#### 11.2 Information on other hazards

Phenol, dodecyl-, branched was concluded to be an endocrine disruptor with regard to human health in a Substance Evaluation Report conducted by Germany. This conclusion was based on: weak binding in an in vitro estrogen receptor competitive binding assay (US EPA OPPTS 890:1250); slight increase to uterine weight in an OECD 440 uterotrophic assay; accelerated vaginal opening in a female pubertal assay (similar to US EPA OPPTS 890.1450).

## SECTION 12 ECOLOGICAL INFORMATION

#### **Product Information:**

#### 12.1 Toxicity

This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

This material contains one or more components that have a branched alkylphenol impurity that is highly toxic to aquatic organisms (disclosed in section 3). The components containing the impurity have been tested and are not toxic to aquatic organisms. Therefore the data in Section 3 for the alkylphenol impurity should not be used to classify the product for aquatic toxicity.

## 12.2 Persistence and degradability

This material is not expected to be readily biodegradable. The product has not been tested. The

Revision Number: 11 13 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882

statement has been derived from the properties of the individual components.

## 12.3 Bioaccumulative potential

Bioconcentration Factor: No Data Available

Partition coefficient n-octanol/water (logarithmic value): No data available

#### 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

This material does not meet the criteria for PBT or vPvB.

## 12.6 Endocrine Disrupting Properties

Phenol, dodecyl-,branched was concluded to be an endocrine disruptor for the environment in a Substance Evaluation Report conducted by Germany. No studies assessing the endocrine disrupting potential in the environment are available.

## 12.7 Other adverse effects

No other adverse effects identified.

## **Component Information:**

Acute Toxicity:	
•	<u></u>
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Phenol, paraalkylation products with C10-	No test data available
15 branched olefins (C12 rich) derived	
from propene oligomerization, calcium	
salts, sulfurized including distillates	
(petroleum), hydrotreated, solvent-	
refined/dewaxed,cat. dewaxed,	
light/heavy paraffinic C15-C50†	
Phenol,paraalkylation prod. with C10-15	No test data available
branched olefins (C12 rich) derived from	
propene oligomerization,carbonates,Ca	
salts, overbased, sulfurized including dist.	
(petroleum),hydrotreated,solvent-	
refined/dewaxed,cat.	
dewaxed,light/heavy paraffinic C15-C50†	
Benzenesulfonic acid, methyl-, mono-	Based on available data, the classification criteria are not met
C20-24-branched alkyl derivs., calcium	
salts	
Phenol, dodecyl-, branched	No test data available
Zinc bis[bis(tetrapropylenephenyl)]	Test Qualifier: EC50
bis(hydrogen dithiophosphate)††	Test Result: 75 mg/l
	Species: Invertebrate
	Duration:48 hour(s)
Zinc bis[bis(tetrapropylenephenyl)]	Test Qualifier: EC50
bis(hydrogen dithiophosphate)††	Test Result: >1000 mg/l
	Species: Algae
	Duration:72 hour(s)
Zinc bis[bis(tetrapropylenephenyl)]	Test Qualifier: LC50
bis(hydrogen dithiophosphate)††	Test Result: >100 mg/l (WAF)
	Species: Fish
	Duration:96 hour(s)

Long-term Toxicity:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met

Revision Number: 11 14 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882

Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized including distillates (petroleum), hydrotreated, solvent-refined/dewaxed,cat. dewaxed, light/heavy paraffinic C15-C50†	No test data available
Phenol,paraalkylation prod. with C10-15 branched olefins (C12 rich) derived from propene oligomerization,carbonates,Ca salts,overbased,sulfurized including dist. (petroleum),hydrotreated,solvent-refined/dewaxed,cat. dewaxed,light/heavy paraffinic C15-C50†	No test data available
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
Phenol, dodecyl-, branched Zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)††	No test data available No test data available

Biodegradation:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono-	Based on available data, the classification criteria are not met
C20-24-branched alkyl derivs., calcium	
salts	
1 7 1	Not applicable
branched olefins (C12 rich) derived from	
propene oligomerization,carbonates,Ca	
salts,overbased,sulfurized including dist.	
(petroleum),hydrotreated,solvent-	
refined/dewaxed,cat.	
dewaxed,light/heavy paraffinic C15-C50†	
Phenol, paraalkylation products with C10-	Not applicable
15 branched olefins (C12 rich) derived	
from propene oligomerization, calcium	
salts, sulfurized including distillates	
(petroleum), hydrotreated, solvent-	
refined/dewaxed,cat. dewaxed,	
light/heavy paraffinic C15-C50†	
Phenol, dodecyl-, branched	Not applicable
Zinc bis[bis(tetrapropylenephenyl)]	Test Result: Not readily biodegradable
bis(hydrogen dithiophosphate)††	

Bioaccumulative Potential:	
Distillates, hydrotreated heavy paraffinic	Based on available data, the classification criteria are not met
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	Based on available data, the classification criteria are not met
branched olefins (C12 rich) derived from propene oligomerization, carbonates, Ca salts, overbased, sulfurized including dist. (petroleum), hydrotreated, solvent-refined/dewaxed, cat. dewaxed, light/heavy paraffinic C15-C50†	
Phenol, paraalkylation products with C10- 15 branched olefins (C12 rich) derived	No test data available

 Revision Number: 11
 15 of 18
 Delo SHP SAE 30

 Revision Date: August 14, 2025
 SDS: 36882

from propene oligomerization, calcium	
salts, sulfurized including distillates	
(petroleum), hydrotreated, solvent-	
refined/dewaxed,cat. dewaxed,	
light/heavy paraffinic C15-C50†	
Phenol, dodecyl-, branched	No test data available
Zinc bis[bis(tetrapropylenephenyl)]	No test data available
bis(hydrogen dithiophosphate)††	

## **SECTION 13 DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.

In accordance with European Waste Catalogue (E.W.C.) the codification is the following:13 02 05

## **SECTION 14 TRANSPORT INFORMATION**

The description shown may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

#### ADR/RID

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

**14.1 UN Number or ID Number:** Not applicable **14.2 UN proper shipping name:** Not applicable **14.3 Transport hazard class(es):** Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

#### ICAO / IATA

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

**14.1 UN Number or ID Number:** Not applicable **14.2 UN proper shipping name:** Not applicable **14.3 Transport hazard class(es):** Not applicable

14.4 Packing group: Not applicable

**14.5 Environmental hazards:** Not applicable **14.6 Special precautions for user:** Not applicable

## IMO / IMDG

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

**14.1 UN Number or ID Number:** Not applicable **14.2 UN proper shipping name:** Not applicable **14.3 Transport hazard class(es):** Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

14.7 Maritime Transport in Bulk according to IMO Instruments: Not applicable

## **SECTION 15 REGULATORY INFORMATION**

 Revision Number:
 11
 16 of 18
 Delo SHP SAE 30

 Revision Date:
 August 14, 2025
 SDS: 36882

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REGULATORY LISTS SEARCHED:

01=EU Directive 92/85/EEC: Pregnant or breastfeeding workers.

02=EU Directive 2012/18/EU: Seveso III.

03=EU Directive 98/24/EC: Chemical agents at work.

04=EU Directive 2004/37/EC: On the protection of workers.

05=EU Regulation EC No. 689/2008: Annex 1, Part 1.

06=EU Regulation EC No. 850/2004: Prohibiting and restricting persistent organic pollutants (POPs).

07=EU REACH, Annex XVII: Restrictions on manufacture, placing on the market and use of certain dangerous substances, mixture & article.

08=EU REACH, Annex XIV: Authorization List or Candidate List of Substances of Very High Concern for Authorization (SVHC).

The following components of this material are found on the regulatory lists indicated.

Phenol, dodecyl-, branched 0

#### CHEMICAL INVENTORIES:

All components comply with the following chemical inventory requirements: AIIC (Australia), DSL (Canada), ENCS (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States).

## 15.2 Chemical safety assessment

No chemical safety assessment.

#### **SECTION 16 OTHER INFORMATION**

REVISION STATEMENT: SECTION 02 - Precautionary Statements information was modified.

SECTION 02 - Supplemental Hazard information was modified.

SECTION 02.2 - Hazardous Component Identification List information was modified.

SECTION 02.3 - Endocrine Disrupting Chemical List information was deleted.

SECTION 03 - Composition information was modified.

SECTION 06 - Personal Precautions, Protective Equipment and Emergency Procedures information was modified.

SECTION 08 - Respiratory Protection information was added.

SECTION 08 - Respiratory Protection information was modified.

SECTION 11 - Toxicological Information information was modified.

SECTION 12 - Ecological Information information was modified.

SECTION 15 - Chemical Inventories information was modified.

SECTION 15 - Regulatory Information information was modified.

SECTION 16 - Full Text of H-Statements information was modified.

Revision Date: August 14, 2025

#### **Full text of CLP H-statements:**

Aquatic Acute 1/H400; Very toxic to aquatic life

Aquatic Chronic 1/H410; Very toxic to aquatic life with long lasting effects

Aquatic Chronic 3/H412; Harmful to aquatic life with long lasting effects

Aquatic Chronic 4/H413; May cause long lasting harmful effects to aquatic life

Eye Dam. 1/H318; Causes serious eye damage Repr. 1B/H360D; May damage the unborn child

Repr. 1B/H360F; May damage fertility

Skin Sens. 1/H317; May cause an allergic skin reaction

Skin Corr. 1C/H314; Causes severe skin burns and eye damage

## ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:

Revision Number: 11 17 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882

TLV - Threshold Limit Value	TWA - Time Weighted Average
STEL - Short-term Exposure Limit	PEL - Permissible Exposure Limit
CVX - Chevron	CAS - Chemical Abstract Service Number
NQ - Not Quantifiable	

Prepared according to the UK REACH by Chevron.

The information in this SDS is based on the knowledge, information, and belief of Chevron and its affiliates as of the publication date. It is not a quality specification, and no warranty, express or implied, is given. We assume no responsibility or liability for the results of using this material. The information presented here pertains only to the listed product. Since conditions of use are beyond our control, it is the user's responsibility to determine the conditions for safe use of this product and assess its suitability for their application. Users should seek additional guidance if necessary.

Ν	$\mathbf{a}$	Λ		١,	٦.	^	v
1.4	v		м	ш	ш	U	Л

Revision Number: 11 18 of 18 Delo SHP SAE 30 Revision Date: August 14, 2025 SDS: 36882