# Safety Data Sheet

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier
## Hydraulic Oil 5606

**Product Number(s):** 219390, 804043

### 1.2 Relevant identified uses of the substance or mixture and uses advised against
**Identified Uses:** Hydraulic Oil

### 1.3 Details of the supplier of the safety data sheet
Chevron Products UK Limited
1 Westferry Circus
Canary Wharf
London E14 4HA
United Kingdom
email : eumsds@chevron.com

### 1.4 Emergency telephone number
**Transportation Emergency Response**
Europe: 0044/(0)18 65 407333 and CHEMTREC: +1 703 527 3887
**Health Emergency**

Chevron Emergency Information Center: Located in the USA, international calls accepted 24 hours: +1 510 231 0623
Europe: 0044/(0)18 65 407333
**Product Information**
Product Information: FAX number: 0044/20 77 19 5171

## SECTION 2 HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

**CLP CLASSIFICATION:**

- Aspiration toxicant: Category 1, H304; May be fatal if swallowed and enters airways.
- Chronic aquatic toxicant: Category 3, H412; Harmful to aquatic life with long lasting effects.

### 2.2 Label elements
Under the criteria of GB CLP:



**Signal Word:** Danger

**HAZARD STATEMENTS:**
**Health Hazards:**
• May be fatal if swallowed and enters airways (H304).

**Environmental Hazards:**
• Harmful to aquatic life with long lasting effects (H412).

- contains: Distillates (petroleum), hydrotreated light paraffinic
Distillates, hydrotreated middle

**PRECAUTIONARY STATEMENTS:**
**Prevention:**
• Obtain special instructions before use (P201).
• Do not handle until all safety precautions have been read and understood (P202).
**Response:**
• IF SWALLOWED: Immediately call a POISON CENTER, doctor, or physician (P301+P310).
• Do NOT induce vomiting (P331).
• Collect spillage (P391).
**Disposal:**
• Dispose of contents and container in accordance with applicable local, regional, national, and international regulations (P501).

**Supplemental Hazard Information (EU):** Repeated exposure may cause skin dryness or cracking (EUH066).

**2.3 Other hazards**
This material does not contain a substance considered to be PBT or vPvB at levels of 0.1% weight or higher.

## SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

**3.2 Mixtures**
This material is a mixture.

| COMPONENTS | CAS NUMBER | EC NUMBER | REGISTRATION NUMBER | GB CLP CLASSIFICATION | AMOUNT |
|---|---|---|---|---|---|
| Distillates, hydrotreated middle | 64742-46-7 | 265-148-2 | ** | Asp. Tox. 1/H304 | 70 - 80 %weight |
| Distillates (petroleum), hydrotreated light paraffinic | 64742-55-8 | 265-158-7 | UK-20-0823962999-X-XXXX | Asp. Tox. 1/H304 | 10 - 20 %weight |
| 2,6-di-tert-butylphenol | 128-39-2 | 204-884-0 | ** | Aquatic Acute 1/H400 [M=1]; Aquatic Chronic 1/H410 [M=1]; Skin Irrit. 2/H315 | 0.1 - < 1 %weight |
| Triphenyl phosphate | 115-86-6 | 204-112-2 | ** | ED ENV 1/EUH430; Aquatic Acute 1/H400 [M=1]; Aquatic Chronic 1/H410 [M=1]; Lact./H362; | 0.1 - < 1 %weight |

| | | | | | |
|---|---|---|---|---|---|
| | | | | Repr. 2/H361d | |

The full text of all CLP H-statements is shown in Section 16.

In accordance with reference IP 346/92: "DMSO Extraction Method", we have determined that the base oils used in this preparation contain <3% DMSO extract and are not carcinogenic.
**Not available or substance is not currently required for registration under UK REACH.

## SECTION 4 FIRST AID MEASURES

### 4.1 Description of first aid measures

**Eye:** No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.
**Skin:** Wash skin with water immediately and remove contaminated clothing and shoes. Get medical attention if any symptoms develop. To further remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.
**Ingestion:** If swallowed, get immediate medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.
**Inhalation:** No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

### 4.2 Most important symptoms and effects, both acute and delayed

**IMMEDIATE SYMPTOMS AND HEALTH EFFECTS**
**Eye:** Not expected to cause prolonged or significant eye irritation.
**Skin:** Skin contact may cause drying or defatting of the skin. Symptoms may include pain, itching, discoloration, swelling, and blistering. High-Pressure Equipment Information: Accidental high-velocity injection under the skin of materials of this type may result in serious injury. Seek medical attention at once should an accident like this occur. The initial wound at the injection site may not appear to be serious at first; but, if left untreated, could result in disfigurement or amputation of the affected part.

**Ingestion:** Because of its low viscosity, this material can directly enter the lungs, if swallowed, or if subsequently vomited. Once in the lungs it is very difficult to remove and can cause severe injury or death.
**Inhalation:** Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

**DELAYED OR OTHER SYMPTOMS AND HEALTH EFFECTS:** Not classified.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Note to Physicians:** Ingestion of this product or subsequent vomiting may result in aspiration of light hydrocarbon liquid, which may cause pneumonitis.

## SECTION 5 FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

### 5.2 Special hazards arising from the substance or mixture

**Combustion Products:** Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.

**5.3 Advice for firefighters**
This material will burn although it is not easily ignited. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures**
Observe all relevant local and international regulations. Eliminate all sources of ignition in vicinity of spilled material. Keep out unnecessary and unprotected personnel. Persons entering the contaminated area to correct the problem or to determine whether it is safe to resume normal activities must comply with all instructions in the Exposure Controls/PersonalProtection section. Refer to Sections 5 and 8 for more information.

**6.2 Environmental precautions**
Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater.

**6.3 Methods and material for containment and cleaning up**
Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil and dispose of in a manner consistent with applicable requirements. Place other contaminated materials in disposable containers and dispose of in a manner consistent with applicable requirements. Report spills to local authorities as appropriate or required.

**6.4 Reference to other sections**
See sections 8 and 13.

## SECTION 7 HANDLING AND STORAGE

**7.1 Precautions for safe handling**
**General Handling Information:** Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.
**Precautionary Measures:** Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Wash thoroughly after handling.
**Static Hazard:** Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.
**Container Warnings:** Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

**7.2 Conditions for safe storage, including any incompatibilities**
Not Applicable

**7.3 Specific end use(s):**Hydraulic Oil

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**GENERAL CONSIDERATIONS:**
Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the workplace when designing engineering controls and selecting personal protective equipment (PPE). If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, refer to PPE information below.

Factors that affect PPE include, but are not limited to: properties of the chemical, other chemicals which may contact the same PPE, physical requirements (fit & sizing, cut/puncture protection, dexterity, thermal protection, etc.), and potential allergic reactions to the PPE material. It is the responsibility of the user to read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Refer to appropriate CEN standards.

**8.1 Control parameters**
**Occupational Exposure Limits:**

| Component | Country/ Agency | Form | TWA | STEL | Ceiling | Notation |
|---|---|---|---|---|---|---|
| Triphenyl phosphate | United Kingdom | -- | 3 mg/m3 | 6 mg/m3 | -- | -- |

Consult local authorities for appropriate values.

**8.2 Exposure controls**
**ENGINEERING CONTROLS:**
Use in a well-ventilated area.

**PERSONAL PROTECTIVE EQUIPMENT**
**Eye/Face Protection:** Wear protective equipment to prevent eye contact. Selection of protective equipment may include safety glasses, chemical goggles, face shields, or a combination depending on the work operations conducted.
**Skin Protection:** Wear chemical personal protective equipment (PPE) to prevent skin contact. Selection of chemical protective clothing should be performed by an Occupational Hygienist or Safety Professional and be based upon applicable standards (ASTM F739 or EN 374). Using chemical PPE depends upon operations conducted and may include chemical gloves, boots, chemical apron, chemical suit, and complete facial protection. **Refer to PPE manufacturers to obtain breakthrough time information to determine how long PPE can be used before it needs to be replaced.** Unless specific glove manufacturer data indicates otherwise, the below table is based upon available industry data to assist in the glove selection process and is intended to be used as reference only.

| Chemical Glove Material | Thickness (mm) | Typical Breakthrough Time (minutes) |
|---|---|---|
| Neoprene | 0.9 | 30 |
| Nitrile | 0.8 | 240 |
| Nitrile | 0.2 | 60 |
| Polyvinyl Chloride (PVC) | 1.1 | 60 |
| Viton Butyl | 0.3 | 120 |

**Respiratory Protection:** A site-specific risk assessment should be conducted by an Occupational Hygienist or a Safety Professional to determine the type and use of respiratory protective equipment. When a site-specific risk assessment determines that respiratory protection is required, use an approved respirator such as:

**Positive pressure air-supplying respirator -**
If occupational exposure limits are applicable, airborne concentrations meet or exceed these limits.

Refer to EN 529:2005, USA OSHA 1910.134, and/or other applicable local/regional/national/international standards for regulatory requirements.

**ENVIRONMENTAL EXPOSURE CONTROLS:**
See relevant Community environmental protection legislation or the Annex, as applicable.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

**Attention: the data below are typical values and do not constitute a specification.**

**9.1 Information on basic physical and chemical properties**
**Appearance**
**Color:** Red
**Physical State:** Liquid
**Odor:** Hydrocarbon odor
**Odor Threshold:** Not tested/Not Measured
**pH:** Not Applicable
**Melting Point:** Not tested/Not Measured
**Freezing Point:** Not tested/Not Measured
**Initial Boiling Point:** Not tested/Not Measured
**Flashpoint:** (Cleveland Open Cup) 80 °C (176 °F) (Minimum)
**Evaporation Rate:** Not tested/Not Measured
**Flammability (solid, gas):** Not Applicable
**Flammability (Explosive) Limits (% by volume in air):**
Lower: Not Applicable Upper: Not Applicable
**Vapor Pressure:** Not tested/Not Measured
**Relative Vapor Density:** Not tested/Not Measured
**Density:** 0.8773 kg/l @ 15°C (59°F) (Typical)
**Solubility:** Soluble in hydrocarbon solvents; insoluble in water.
**Partition coefficient n-octanol/water (logarithmic value):** No data available
**Auto-ignition temperature:** Not tested/Not Measured
**Decomposition temperature:** Not tested/Not Measured
**Kinematic Viscosity:** 13.2 mm2/s @ 40°C (104°F) (Minimum)
**Explosive Properties:** Not tested/Not Measured
**Oxidising properties:** Not tested/Not Measured

**9.2 Other Information:** Not tested/Not Measured

## SECTION 10 STABILITY AND REACTIVITY

**10.1 Reactivity:** May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
**10.2 Chemical Stability:** This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
**10.3 Possibility of hazardous reactions:** Hazardous polymerization will not occur.
**10.4 Conditions to Avoid:** Not applicable
**10.5 Incompatible materials to avoid:** Not applicable
**10.6 Hazardous decomposition products:** None known (None expected)

## SECTION 11 TOXICOLOGICAL INFORMATION

**11.1 Information on hazard classes**
**Product Information:**
**Serious Eye Damage/Irritation:** The material is not considered an eye irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Skin Corrosion/Irritation:** The material is not considered a skin irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Skin Sensitization:** The material is not considered a skin sensitizer. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Acute Dermal Toxicity:** The material is not considered a dermal toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Acute Toxicity Estimate (dermal):** Not Applicable

**Acute Oral Toxicity:** The material is not considered an oral toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Acute Toxicity Estimate (oral):** Not Applicable

**Acute Inhalation Toxicity:** The material is not considered an inhalation toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Acute Toxicity Estimate (inhalation):** Not Applicable

**Germ Cell Mutagenicity:** The material is not considered a mutagen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Carcinogenicity:** The material is not considered a carcinogen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Reproductive Toxicity:** The material is not considered a reproductive toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Specific Target Organ Toxicity - Single Exposure:** The material is not considered a target organ toxicant (single exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Specific Target Organ Toxicity - Repeated Exposure:** The material is not considered a target organ toxicant (repeated exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

**Aspiration Hazard:** This material is considered an aspiration hazard based on the kinematic viscosity of the material.

**Component Information:**

| **Serious Eye Damage/Irritation:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Skin Corrosion/Irritation:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Protocol: OECD 404 - Dermal Irritation/Corrosion<br>Test Result: Causes skin irritation |

| **Skin Sensitization:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |

| | |
|---|---|
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Acute Dermal Toxicity:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Acute Oral Toxicity:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Acute Inhalation Toxicity:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Germ Cell Mutagenicity:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Carcinogenicity:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Reproductive Toxicity:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Test Result: Adverse effects on or via lactation if ingested based on animal data |
| Triphenyl phosphate | Test Result: Suspected of damaging fertility or the unborn child if ingested based on animal data |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| **Specific Target Organ Toxicity - Single Exposure:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

| Specific Target Organ Toxicity - Repeated Exposure: | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Based on available data, the classification criteria are not met |

**11.2 Information on other hazards**
This material does not contain a substance considered to have endocrine disrupting properties at levels of 0.1% weight or higher.

## SECTION 12 ECOLOGICAL INFORMATION

**Product Information:**
**12.1 Toxicity**
This material is expected to be harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

**12.2 Persistence and degradability**
This material is not expected to be readily biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

**12.3 Bioaccumulative potential**
Bioconcentration Factor: No Data Available
Partition coefficient n-octanol/water (logarithmic value): No data available

**12.4 Mobility in soil**
No data available.

**12.5 Results of PBT and vPvB assessment**
This material does not meet the criteria for PBT or vPvB.

**12.6 Endocrine Disrupting Properties**
Triphenyl phosphate was concluded to be an endocrine disruptor in an ECHA SVHC support document (October 2024). This conclusion was based on the endocrine activity (estrogen receptor agonist) observed in multiple in vitro and in vivo studies. Adverse effects on fertility and reproduction were also observed in studies on fish.

**12.7 Other adverse effects**
No other adverse effects identified.

**Component Information:**

| Acute Toxicity: | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| Triphenyl phosphate | Confidential test data |
| Triphenyl phosphate | Confidential test data |
| 2,6-di-tert-butylphenol | Confidential test data |
| 2,6-di-tert-butylphenol | Confidential test data |

| Long-term Toxicity: | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light | Based on available data, the classification criteria are not met |

| | |
|---|---|
| paraffinic | |
| Triphenyl phosphate | Confidential test data |
| 2,6-di-tert-butylphenol | No test data available |

| **Biodegradation:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | Not applicable |
| Triphenyl phosphate | Protocol: OECD 301C-Modified MITI<br>Test Result: Readily biodegradable |

| **Bioaccumulative Potential:** | |
|---|---|
| Distillates, hydrotreated middle | Based on available data, the classification criteria are not met |
| Distillates (petroleum), hydrotreated light paraffinic | Based on available data, the classification criteria are not met |
| 2,6-di-tert-butylphenol | No test data available |
| Triphenyl phosphate | Bioconcentration Factor: >100 <500 |

## SECTION 13 DISPOSAL CONSIDERATIONS

**13.1 Waste treatment methods**
Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.
In accordance with European Waste Catalogue (E.W.C.) the codification is the following:13 01 10

## SECTION 14 TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

**ADR/RID**

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT
**14.1 UN Number or ID Number:** Not applicable
**14.2 UN proper shipping name:** Not applicable
**14.3 Transport hazard class(es):** Not applicable
**14.4 Packing group:** Not applicable
**14.5 Environmental hazards:** Not applicable
**14.6 Special precautions for user:** Not applicable

**ADN**

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT
**14.1 UN Number or ID Number:** Not applicable
**14.2 UN proper shipping name:** Not applicable
**14.3 Transport hazard class(es):** Not applicable
**14.4 Packing group:** Not applicable
**14.5 Environmental hazards:** Not applicable
**14.6 Special precautions for user:** Not applicable

**ICAO / IATA**

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT
**14.1 UN Number or ID Number:** Not applicable
**14.2 UN proper shipping name:** Not applicable
**14.3 Transport hazard class(es):** Not applicable
**14.4 Packing group:** Not applicable
**14.5 Environmental hazards:** Not applicable
**14.6 Special precautions for user:** Not applicable

**IMO / IMDG**

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT
**14.1 UN Number or ID Number:** Not applicable
**14.2 UN proper shipping name:** Not applicable
**14.3 Transport hazard class(es):** Not applicable
**14.4 Packing group:** Not applicable
**14.5 Environmental hazards:** Not applicable
**14.6 Special precautions for user:** Not applicable
**14.7 Maritime Transport in Bulk according to IMO Instruments:** Not applicable

## SECTION 15 REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
**REGULATORY LISTS SEARCHED:**
01=EU Directive 92/85/EEC: Pregnant or breastfeeding workers.
02=EU Directive 2012/18/EU: Seveso III.
03=EU Directive 98/24/EC: Chemical agents at work.
04=EU Directive 2004/37/EC: On the protection of workers.
05=EU Regulation EC No. 689/2008: Annex 1, Part 1.
06=EU Regulation EC No. 850/2004: Prohibiting and restricting persistent organic pollutants (POPs).
07=EU REACH, Annex XVII: Restrictions on manufacture, placing on the market and use of certain dangerous substances, mixture & article.
08=EU REACH, Annex XIV: Authorization List or Candidate List of Substances of Very High Concern for Authorization (SVHC).

The following components of this material are found on the regulatory lists indicated.
Triphenyl phosphate 08

**CHEMICAL INVENTORIES:**
All components comply with the following chemical inventory requirements: AIIC (Australia), DSL (Canada), EINECS (European Union), ENCS (Japan), IECSC (China), KECI (Korea), PICCS (Philippines), TCSI (Taiwan), TSCA (United States).

One or more components does not comply with the following chemical inventory requirements: NZIoC (New Zealand).

**15.2 Chemical safety assessment**
No chemical safety assessment.

## SECTION 16 OTHER INFORMATION

**REVISION STATEMENT:** SECTION 02 - Precautionary Statements information was added.
SECTION 02 - Precautionary Statements information was modified.
SECTION 02 - Supplemental Hazard information was modified.
SECTION 02.2 - Hazardous Component Identification List information was modified.
SECTION 03 - Composition information was modified.
SECTION 04 - First Aid - Skin information was modified.

SECTION 08 - Personal Protective Equipment information was modified.
SECTION 08 - Respiratory Protection information was deleted.
SECTION 08 - Respiratory Protection information was modified.
SECTION 09 - Physical/Chemical Properties information was modified.
SECTION 11 - Toxicological Information information was modified.
SECTION 11.2 - Other Hazards information was modified.
SECTION 12.6 - Endocrine Disrupting Properties information was modified.
SECTION 15 - Chemical Inventories information was modified.
SECTION 16 - Full Text of H-Statements information was modified.

**Revision Date:** June 18, 2026

**Full text of CLP H-statements:**
Asp. Tox. 1/H304; May be fatal if swallowed and enters airways
Aquatic Acute 1/H400; Very toxic to aquatic life
Aquatic Chronic 1/H410; Very toxic to aquatic life with long lasting effects
Lact./H362; May cause harm to breast-fed children
Repr. 2/H361d; Suspected of damaging the unborn child
Skin Irrit. 2/H315; Causes skin irritation
Endocrine disruptor for the environment: Category 1, EUH430; May cause endocrine disruption in the environment.

**ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:**

| | |
|---|---|
| TLV - Threshold Limit Value | TWA - Time Weighted Average |
| STEL - Short-term Exposure Limit | PEL - Permissible Exposure Limit |
| CVX - Chevron | CAS - Chemical Abstract Service Number |
| NQ - Not Quantifiable | |

Prepared according to the UK REACH by Chevron.

**The information in this SDS is based on the knowledge, information, and belief of Chevron and its affiliates as of the publication date. It is not a quality specification, and no warranty, express or implied, is given. We assume no responsibility or liability for the results of using this material. The information presented here pertains only to the listed product. Since conditions of use are beyond our control, it is the user's responsibility to determine the conditions for safe use of this product and assess its suitability for their application. Users should seek additional guidance if necessary.**

**No Annex**